

OVENS • BROILERS • GRIDDLES AND GRILLS • FRY KETTLES • STE

SANITATION AIDS • REFRIGERATION • FOOD AND ROLL WARMERS •

RANGES • COFFEE BREWERS • WATER HEATERS AND BOOSTERS

**COMMERCIAL
ELECTRIC
KITCHEN
EQUIPMENT**

FOUNTAIN

STEAM COOKERS • KITCHEN AIDS

GRIDDLES

COFFEE RANGE

BRO

DISPENS

FOOD

KITCHEN

WAFF

FRY K

TOAST

GRILL

RANGES • HOTPLATES •

WAFFLE BAKERS

GRIDDLES AND GRILLS

STEAM COOKERS

FOUNTAIN AND DISPENSING • COFFEE BREWERS • WATER HEATERS

COFFEE RANGES • KITCHEN AIDS • SANITATION AIDS • TOASTERS

THIRTEENTH EDITION • 1956 • ONE DOLLAR

FACT BOOK

*your reference guide to
over 275 modern, labor
and food-saving electric
kitchen devices.*

Electric Equipment

**... NOTHING
DOES IT BETTER!**

Kitchen profits are the dollars you save after the bills have been paid. And here's how electric kitchen equipment saves for you:

Electric cooking boosts production by permitting more compact, efficient and step-saving arrangement of equipment. Often an electric layout leaves room for additional seats. And fast electric food service speeds up turnover during rush hours.

Electric equipment requires less expensive help with a minimum of supervision. And labor time is saved in cleaning. Utensils, equipment, and the kitchen itself are easier to clean because electric equipment is clean. And a cooler, cleaner kitchen reduces labor turnover and absenteeism.

Increase your margin over food costs, too. Electric cooking equipment eliminates burned and crippled runs, throw-aways and rejects. It makes fat go farther in deep fat frying. Shrinkage is cut in baked goods and meat from 3% to 7%.

These food and labor costs are the costs that count up. Any savings on these costs go into your profit column. Electric equipment in your kitchen will help you cut down these costs.

CONTENTS

	Page
BROILERS - - - - -	9
COFFEE BREWERS - - - - -	31
COFFEE RANGES - - - - -	36
DISHWASHERS - - - - -	48
FOOD & ROLL WARMERS - - - - -	21
FOUNTAIN & DISPENSING - - - - -	38
FRY KETTLES - - - - -	5
GARBAGE DISPOSERS - - - - -	51
GRIDDLES & GRILLS - - - - -	17
HOTPLATES - - - - -	20
INFRA-RED EQUIPMENT - - - - -	27
KITCHEN AIDS - - - - -	43
MIXERS (Fountain) - - - - -	38
MIXERS (Kitchen) - - - - -	47
OVENS - - - - -	10
RANGES - - - - -	3
REFRIGERATORS & FREEZERS - - - - -	56
SANITATION AIDS - - - - -	48
SILVER BURNISHERS - - - - -	51
STEAM COOKERS - - - - -	14
TOASTERS - - - - -	29
WAFFLE BAKERS - - - - -	37
WATER HEATERS & BOOSTERS - - - - -	52



COPYRIGHT 1956

Printed in the United States

**ELECTRICAL INFORMATION
PUBLICATIONS, INC.**

2132 FORDEM AVE. MADISON 1, WIS.


D. W. GROSSHANDLER Publisher
R. H. SCHNEIDER Editor
NINA MEICHER Assistant Editor
G. S. HOEVELER Art Director

Your heavy-duty kitchen needs a flexible electric range. Choose yours from the wide variety of surface combinations — there is a model to fit your food service needs.

Griswold HR36D Range



**Hotpoint HRG14
"SUPERgrid" Range**



Griswold R45 Economizer II



**Hotpoint HRG13
"SUPERchief" Range**



CONSISTENT HIGH
QUALITY FOOD
WITH ELECTRIC.

ELECTRIC RANGES

FEATURES: Heavy duty range with oven or cabinet base. Three 12"x24" hot/fry tops each with thermostat. 250° to 850° F. range. Dial for the desired cooking temperature required. Each unit with own grease trough to prevent transfer of cooking flavors and provide more constant temperature. Manufactured by Griswold Manufacturing Company.

SIZE: Height, 36" including 6" leg to conform with modern sanitary codes; width 36".

ELECTRICAL DATA: Each hot/fry top rated at 5.5 KW. Oven 6 KW. Thermostat is rugged mechanical type. Signal lights for each surface unit and oven.

PRICE **\$785.00**

FEATURES: Heavy-duty range. 1 piece, all-steel griddle-top. Cooks cold load after cold load without killing griddle heat. Permalucent Gray finish with stainless steel at sides and above oven door opening. Mfd. by Hotpoint Co.

SIZE: Height (including legs) 36"; width, 36"; depth, 36". Net weight, 480 lbs.

CAPACITY: 1,050 4-oz. hamburgers per hr.

ELECTRICAL DATA: Griddle top, 16.2 KW; oven base, 6 KW. Calrod® heating units. Four combination on-off and temp. control switches for each quarter of grid, 200° F. - 450° F. Separate top and bottom switches for "Sealed-Heat" oven 200° F. - 500° F.

PRICE **\$690.00**

FEATURES: Eight hi-speed surface units, two ovens—one with broiler. Stainless steel cooking top surfaces. Hammertone gray enamel cabinet sections. Full backshelf. Mfd. by Griswold Mfg. Co.

SIZE: Height to cooking surface 36" including 6" leg to conform with modern sanitary codes; overall height, 56½"; width, 45"; depth, 28¼". Ship. weight 270 lbs.

ELECTRICAL DATA: 18.4 KW. Four 2.1 KW and four 1.25 KW surface units. Oven 2.5 KW each. Signal lights. One 3-heat switch for each upper and lower Therma-Glo tubular type heating elements in oven.

PRICE **\$495.00**

FEATURES: Heavy-duty range with 4 French hotplates plus center Calrod® unit for short order work. All-purpose oven base. Permalucent gray finish with nickel-plated steel top. Mfd. by Hotpoint Co.

SIZE: Height 36" with 4" legs; width, 36"; depth 36". Net weight, 390 lbs.

CAPACITY: Oven has capacity of six 9" pies.

ELECTRICAL DATA: Top cooking surface, 16.8 KW; oven, 6 KW. Calrod® heating units. Five 3-heat switches for surface units; separate switches for top, bottom of oven plus 200° to 450° F. balanced-heat control.

PRICE **\$495.50**

FEATURES: Five basic methods of cooking—baking and roasting; deep fat frying; griddling; surface cooking; deep-well cooking—are combined in one complete 30-inch cooking center. Satin chrome-plated steel cooking surface and gray side walls. Red plastic controls and switches. Mfd. by Hotpoint Co.

SIZE: Height 36-3/16"; width 30"; depth 29". Oven lining, inside dimensions: height 18"; width 16"; depth 20 3/4".

PRODUCTION: Baking, six 9" pies; roasting, up to 45 lbs. meat in a single load; broiling, 48, 12-oz. strip steaks per hour; griddling, 288, 2-oz. hamburgers per hour; deep fat frying, 240, 2-oz. servings of blanched French fries browned per hour; deep well cooker, 6 qts. of soup, stew or chili. Surface cooking: one 6" Hi-speed Calrod® unit; three 8" Hi-speed Calrod® units.

ELECTRICAL DATA: Rating 11.2 KW. Automatic pushbutton and dial temperature controls. Golden Fryer has own Calrod® unit and outlet in backsplash. Griddle clamps on over two right side units.

PRICE (basic unit only) **\$293.95**
(Includes Golden Fryer,
and plug-in griddle) **\$356.85**

FEATURES: All purpose oven with patented humidity control for better baking results. Simplified oven control. Range top available in 12 different combinations to fit all requirements includes—2 combinations of automatic cook top. 200° to 850° F. Entire range serviced from front. Utility black, silver grey hammer-tone or stainless steel finish. Manufactured by Associated Products, Inc.

SIZE: Height with legs 36"; less legs 32"; add 3" for back rail; left to right 36"; front to back 36"; add 2" for overhang; oven lining left to right 24"; front to back 29"; height 16 1/2". Weight 580 lbs. to 680 lbs., depending on cook top combination.

ELECTRICAL DATA: Wattage from 15KW to 21KW. Two smaller models available.

PRICE (model shown) **\$779.00 to \$813.00**
(depending on top)

FEATURES: Glamourline heavy-duty range with all-purpose oven (HRG7) or cabinet-base (Model HRG9). Exclusive "Recipe Robotrol" thermostat permits automatic surface cooking control from 250° up to 850° F. Available with three 12" x 24" griddle-hotplates or two 12" x 24" griddle hotplates and two round hotplates. Warming drawer. "Air Cushion" oven deck. 2 sets of Calrod elements in oven provide directional heat. Finished in lustrous Perma-lucent Gray enamel. Stainless steel veneer applied to top, sides of oven door opening. Red plastic controls and switches. Also available in all stainless steel. Mfd. by Hotpoint Co.

SIZE: Height 32" (less 4" legs); width 36"; depth 36". Oven lining, inside dimensions: width 22 1/3"; depth 26 1/2". Net weight 580 lbs.

ELECTRICAL DATA: Rating 12" x 24" griddle hotplate 5.0 KW; round hotplate 2.1 KW; oven 6 KW. Illustrated model 21.0 KW. Calrod® elements. "Recipe Robotrol" thermostat on range top units. Adjustable automatic temperature control on oven. Signal lights for oven and griddle-hotplate surface units.


PRICE (Model shown,
with oven base) **\$798.50**



Hotpoint HR11 Quintette



Akron No. 621
Master Range



Hotpoint HRG7
SUPERange

ELECTRIC
EQUIPMENT LASTS
TWICE AS LONG.



Hotpoint HRG200
Medium-Duty Range

FEATURES: Glamourline custom-top range with all-purpose oven. Choice of 7 cooking top combinations available including hotplates and griddles. Lustrous Permalucent Gray finish. Red plastic switches and controls. Chrome-plated steel top. Also available in all stainless steel. Manufactured by Hotpoint Co.

SIZE: Height 36"; width 30"; depth 30". Net weight 295 lbs. to 375 lbs. depending on top combination.

PRODUCTION: Oven has capacity of four 9" pies.


ELECTRICAL DATA: Oven rating 3.6 KW.; hotplate 2.1 KW.; 12" x 24" griddle, 3 KW.; 24" x 24" griddle, 6 KW. Calrod® elements. Three-heat switches for oven units and hotplate. Oven and griddles thermostatically controlled. Signal light on oven.

PRICE

\$492.20

(Model shown)

You can serve golden fried foods every day when you have an electric, automatic fry kettle. Their controlled temperature gives you unbeatable production.



Wells F-42

FEATURES: Compact counter fryer. Glistening stainless steel finish. Front drain with "fat strainer." One large or two standard baskets. Mfd. by Wells Mfg. Co.


SIZE: Height 15¾" (to top of guard); width 10¾"; depth 14¾"; shipping weight 34 lbs.

PRODUCTION: Fat capacity 12 lbs. Makes 18 lbs. French fries per hour, raw to finish.

ELECTRICAL DATA: 3.5 KW. Large area immersion type heating elements. Thermostat.

PRICE (with cord and plug) Fryer \$109.50
Stand (Stainless Steel) \$ 24.00

Griswold N2115
Fry Kettle



FEATURES: One of the new matched counter appliances. Counter fry kettle. Removable fat well and elements. Minute minder timer. Mfd. by Griswold Mfg. Co.

SIZE: Height to backsplash 12"; width 18"; depth 18".

PRODUCTION: Fat capacity 13 lbs. — 25 lbs. French fries per hour.

ELECTRICAL DATA: 5 KW. Preheats to 350° F. in 6½ minutes. Stainless steel tubular type immersion elements. Hydraulic thermostat. Signal light.

PRICE

\$136.00

FEATURES: STAR-MASTER automatic counter fry kettle. One piece stainless steel construction. Swing away immersion elements for ease in cleaning. Drain valve for safe removal of fat. Mfd. by Star Mfg. Co.

SIZE: Height 14¾"; width 15½"; depth 18½"; net weight 39 lbs.


PRODUCTION: 15 lbs. fat capacity. 25 lbs. French fries per hour.

ELECTRICAL DATA: 4,800 watts. AC only. Adjustable thermostat. Preheats to 350° in 8 minutes.

PRICE

\$121.00

Stainless steel stand \$ 40.00



Star 101

**SAVE UP TO 60%
FAT WITH ELECTRIC
FRY KETTLES.**

FEATURES: Glamourline large capacity automatic fry kettle. Lustrous Permalucent Gray enamel. Polished steel top. Handy storage cabinet base. Manufactured by Hotpoint Co.

SIZE: Height 32" (less 4" legs); width 24"; depth 36". Weight 220 lbs.

PRODUCTION: Fat capacity 60 lbs.; 90 lbs. French fries per hour.

ELECTRICAL DATA: Rating 18 KW. Side-wall Calrod® immersion elements. "Heat Manager" adjustable thermostat. Signal light.

PRICE **\$461.20**

FEATURES: All purpose counter model deep fat fryer. Satin chrome finish. Twin fry baskets. Mfd. by J. C. Pitman & Sons, Inc.

SIZE: Height 13" (including back splash); width 18"; depth 20". 34 lbs. installed.

PRODUCTION: Fat capacity 15 lbs. Up to 100 lbs. of French fries browned in 1 hour.

ELECTRICAL DATA: Rated wattage, 4.5 KW. Rated voltage 208 (197-219), 230 (220-240). Heavy duty heating element. Preheats to 350° in 8 minutes.

PRICE **\$120.75**

FEATURES: Counterline fry kettle. Removable fat container and swing-up Calrod® heating unit. Lustrous, non-tarnishing chrome-plated steel finish. Mfd. by Hotpoint Co.

SIZE: Height to top of backsplasher 12-13/16" width 17-15/16"; depth 20"; net weight 35 lbs.

PRODUCTION: Fat capacity 15 lbs. 21 lbs. French fries per hour.

ELECTRICAL DATA: 4.5 KW. Calrod immersion elements. Preheats to 350° in 8 minutes. Hotpoint-built hydraulic thermostat. Signal lights.

PRICE **\$135.50**

FEATURES: Deep-fat fryer. Automatic fry timing and food discharge. Continuous operation. Stainless steel finish. Mfd. by Gifford-Wood Co.

SIZE: Height, 43¾"; width, 59½"; depth, 16¾" & 12" shelf. Net weight 420 lbs.

CAPACITY: 120-lb. fat.

PRODUCTION: 180 to 200 lbs. food per hr.

ELECTRICAL DATA: 18 or 27 KW. Heat control AH & H tumbler. Drive control AH & H manual starter. Cutler Hammer immersion type heating element. 1/20 H.P. motor. UL approved.

PRICE **\$1,750.00 or \$2,025.00**
F.O.B. Hudson, N. Y.


FEATURES: Compact counter or floor type fry kettle. Glistening stainless steel cabinet. Front drain and "fat strainer." Holds 1-3 baskets. Mfd. by Wells Mfg. Co.

SIZE: Height 15¾" (to top of splashguard); width 20½"; depth 15½"; shipping weight 54 lbs.


PRODUCTION: Fat capacity 25 lbs., 36 lbs. French fries per hour, raw to finish.

ELECTRICAL DATA: 7 KW. Large area heating elements. Preheats to 350° F. in 8 minutes. Dual patented Wells thermostats. Cool zone.


PRICE **Fryer \$169.50**
Stand (Stainless Steel) \$ 33.00




Hotpoint HKG46
Fry Kettle




Pitco Frialator EC-56



Hotpoint HK3
Fry Kettle



Unifryer Models 18, 27





Wells F-72

NO FRY KETTLE
OUT-PRODUCES
YOUR ELECTRIC.




Speedster Champion CL-26F

Pitco Frialator EF-55




Wells "Powerhouse" F-92

Hotpoint "Mark 313"
Frying Machine

Wells Doughnut Kettle KS-12

Speedster



NO PIPES OR FLUES
WITH ELECTRIC.

FEATURES: All purpose deep fat fryer with interchangeable fat kettles, one shallow for un-breaded and one deep with crumb trapping cool zone for breaded foods. Nickel plated fat container. Mfd. by J. C. Pitman & Sons, Inc.

SIZE: Height 40½" (including back splash); width 20¼"; depth 30½".

PRODUCTION: Fat capacity 28 lbs., shallow tank. 33 lbs., deep tank. 300—2 oz. servings of French fries per hour.

ELECTRICAL DATA: Rated wattage 12 KW. Rated voltage 208 (197-219), 230 (220-240). Dial thermostat available as accessory.

PRICE **\$351.00**

FEATURES: Floor model fat fryer. Lift-out heat unit. Chrome steel body construction. Single, twin, or triple baskets. Mfd. by Miller & Carrell Mfg. Co.

SIZE: Height, 34½"; width, 19¾"; depth, 22". Ship. weight 150 lbs.

CAPACITY: 26 lbs. fat. 380 2-oz. portions French fries raw-to-brown per hour.

ELECTRICAL DATA: 11,000 watts.

PRICE **Single basket \$254.23**
Twin basket \$260.77
Triple basket \$267.31

F.O.B. Denver, Colo.

FEATURES: High-output counter fryer. Stainless steel finish. Front drain, automatic fat strainer. 1, 2, 3, or 4 baskets. Mfd. by Wells Mfg. Co.

SIZE: Height, 15¾"; width, 21 15/16"; depth, 20½". Ship. weight 83 lbs.

CAPACITY: 30 lbs. fat. 60 lbs. French fries raw-to-finish per hour.

ELECTRICAL DATA: 11 KW, triple thermostat and element combination. Single "Master" control. On-off switch. Cool zone. Single or three phase loading. (Balanced.)

PRICE **Fryer \$249.50**
(stainless steel) Stand \$58.00

FEATURES: Glamourline automatic deep-fat frying machine. "Miraclean" siphon for 5-minute fat draining and straining operation. Permalucent Gray finish. 20-year guarantee against fat container burn-out. With extra fat container. Mfd. by Hotpoint Co.

SIZE: Height 32" (less 4" legs); width 20"; depth 36"; weight 170 lbs.

PRODUCTION: 28 lb. fat capacity. 313 2-oz. servings of French fries per hour from raw to done.

ELECTRICAL DATA: Immersed swing-up 12 KW. Stainless steel, self-cleaning Calrod® heating units. Toggle on-off switch with signal light. Thermostat.

\$367.50

FEATURES: Automatic doughnut kettle. Lustrous durable plated frying pot and drain table. White baked enamel stand. Collapsible drain table. Mfd. by Wells Manufacturing Co.

PRODUCTION: 90 dozen doughnuts per hour (approx.). Fat capacity 100-125 lbs.

SIZE: Height 33¾"; width 24¾" (drain table folded); depth 24¾". Standard 23" proofing screen. Shipping weight 117 lbs.

ELECTRICAL DATA: 12 KW. Large area immersion elements. Precision thermostats. Preheats to 400 degrees in 20 minutes.

PRICE **\$233.00**

FEATURES: Electric fryer lift-out heat unit. Easy to clean, cheap service, safe operation. Mfd. by Miller & Carrell Mfg. Co.

SIZE: Varied.

ELECTRICAL DATA: 1650 to 11,000 watts. 115, 208, or 230 volts. AC only.

FEATURES Deep-fat fryer. Lift-out heating unit. Twin or triple baskets. Satin chrome finish. Mfd. by Miller & Carrell Mfg. Co.

SIZE: Height, 16½"; width, 20"; depth, 16". Ship. weight 65 lbs.

CAPACITY: 25 lbs. fat. 320 2-oz. servings of French fries raw-to-brown per hour.

ELECTRICAL DATA: 9000 watts, 230 volts, AC only. Heavy duty cord and plug.

PRICE Twin basket \$141.54
Triple basket \$148.08

F.O.B. Denver, Colo.

FEATURES: Automatic fry kettle. Hammer-tone gray enamel finish. Polished steel top. Mfd. by Griswold Manufacturing Co.

SIZE: Height to cooking surface 34"; to backsplash 42"; width 24"; depth 31⅝". Shipping weight 185 lbs.

PRODUCTION: 75 lbs. fat capacity—90 lbs. French fries per hour.

ELECTRICAL DATA: 18 KW. Preheats to 400° F. in 12 minutes.

PRICE \$444.00

FEATURES: Large cool zone prevents recirculation of fat. Safety cut-off. Heavy duty baskets. Utility black, silver grey hammertone and stainless steel. Mfd. by Associated Products, Inc.

SIZE: No. 960 shown. 24" x 32". Fat capacity, 60 lbs. potatoes. 90 lbs. per hr. 18 KW. Weight 280 lbs. Other sizes No. 925, 25 lbs. fat; No. 935, 35 lbs. fat.

PRICE (960 shown) \$473.00

FEATURES: High-output, floor type fryer. Stainless steel finish. Front drain, automatic fat strainer. 1, 2, 3, or 4 baskets. Mfd. by Wells Mfg. Co.

SIZE: Height, 37"; width, 21 15/16"; depth, 20½". Ship. weight 120 lbs.

CAPACITY: 30 lbs. fat. 60 lbs. French fries raw-to-finish per hour.

ELECTRICAL DATA: 11 KW, triple thermostat and element combination. Single "Master" control. On-off switch. Cool zone. Single or three-phase loading. (Balanced.)

PRICE \$307.50

FEATURES: Heavy-duty fry kettle. Lift-out tubular units, removable container, syphon. Stainless steel top, hammertone gray finish. Automatic adjustable thermostat plus safety control. Mfd. by Griswold Mfg. Co.


SIZE: Height, 36" with 6" legs; width, 20"; depth, 36".

CAPACITY: 25 lbs. fat. 61½ lbs. French fries per hr.


ELECTRICAL DATA: 12 KW. On-off switch incorporated in thermostat. Enclosed tubular heating element.

PRICE \$365.00


Speedster Comet 320




Griswold H9018 Fry Kettle




Akron 960 Fryer



Wells F-92-S




Griswold H2512



ANYONE CAN
OPERATE ELECTRIC
EQUIPMENT.

Re-Nu



ELECTRIC BROILERS


FEATURES: Vacuum fat filter. Self-contained, fully protected from dust, water. Seamless tank. Hammerloid finish. Mfd. by Vacuum Filter Mfg. Co.

SIZE: Height, 12"; width, 15"; length, 22". Ship. wt. 60 lbs.

PRODUCTION: 50 lbs. fat in 6 min.

ELECTRICAL DATA: ¼ H.P. motor. 110/120 volts, AC.

Radiant heat broiling means extra profits for you. Prospects turn into regular customers who gladly pay premium prices for tender meats and fish prepared on your electric broiler.



**Hotpoint HRG167
Backshelf Broiler**



Griswold HBR36R



**Hotpoint HBG19
Broiler**

**TWO BROILERS IN
THE SPACE OF ONE
— WITH ELECTRIC.**

ELECTRIC BROILERS

FEATURES: Glamourline backshelf broiler. Suitable for mounting on back of Hotpoint SUPERange, SUPERgrid or SUPERchief ranges. Permalucent Gray finish. Chrome-plated steel front. New design rack permits branding of meats. Pistol grip handle. Also in all stainless steel. Mfd. by Hotpoint Co.

SIZE: Fits over entire 36" width of range.

PRODUCTION: Grid area 22½" wide, 16" deep. Approximately 33 one-lb. steaks per hour.

ELECTRICAL DATA: Rating 5.25 KW. Indicating, reversible 3-heat switch.

PRICE **\$275.50**

FEATURES: Combination unit for heavy duty broiling and oven roasting. Available with oven or cabinet base. Adjustable rack for broiling facilitates convenient operation. Separate controls for top and bottom of oven insure satisfactory results. Hammertone gray enamel finish, polished steel panels. Mfd. by Griswold Mfg. Co.

SIZE: Height, 56½"; width, 36"; depth, 38½". Oven interior 24" x 30". Broiler grid-iron 23" x 21½". Net weight 600 lbs.

PRODUCTION: Broiler, 12 T-bone steaks per load, oven capacity 65 lbs. roast.

ELECTRICAL DATA: Rating 16 KW. Therma-Glo tubular type heating. 3-heat switches and thermostat for oven. Broiler preheats in 20 seconds. Signal lights.

PRICE **\$870.00**

FEATURES: Radiant-heat broiler. Available in single or double deck models, with oven or cabinet base or unmounted. Lustrous Permalucent Gray finish. Chrome-plated table-top working surface and broiler front. Easy to grasp pistol grip. Removable drip pan. New design rack permits branding of meats. Also in all stainless steel. Mfd. by Hotpoint Co.

SIZE: Height (to top of single broiler shown) 66"; width 36"; depth 36". Net weight (single broiler with oven) 675 lbs.

PRODUCTION: Grid area of broiler 25" x 22½". 80 lbs. of steak per hour per section.

ELECTRICAL DATA: Rating broiler section, 12 KW; oven section, 6 KW. Broiler section equipped with two interchangeable Calrod® heating unit assemblies, each divided electrically into two sections. Separate 3-heat switches permit independent operation of each quarter of the broiler. Signal light, top and bottom heat control, thermostat on 200°-500° F. oven.

**PRICE (Model shown, single deck
on oven base)** **\$861.35**

ELECTRIC OVENS

FEATURES: Revolving tray oven for baking and roasting all food. Rounded corners, porcelain panels. Six-inch insulation. Enclosed variable speed drive, reversing mechanism. Mfd. by Despatch Oven Co.

SIZE: Height 7' 11"; width 12'; depth 8' 3"; net weight approximately 12,000 lbs.

CAPACITY: 30-bun pan size, 270 one-lb. loaves, 120 9" pies. Holds six trays 26" x 92".

ELECTRICAL DATA: Rating 75 KW. Motor 1/3 H.P. Open coil low gradient elements. R-4 reversing switch and toggle switches for heaters. Partlow indicating thermostat.

FEATURES: Three-deck oven of Model F series. Sectional construction. Spray enamel finish. Available in stainless steel. Mfd. by Rainier Electric Oven & Engr. Corp.

SIZE: Height without legs, 60"; width, 55"; depth, 35". Weight approx. 1,900 lbs.

CAPACITY: 120 lbs. of bread per hour. 6 bun pans, or 36 9" pies, or 60 1-lb. loaves.

ELECTRICAL DATA: 13 to 15 KW, 220 volts. Nichrome elements. Switch-box on oven wall. Individual top and bottom heating elements with 3-heat reversible switches. 1 automatic thermostat for each deck.

FEATURES: Glamourline 1-pan all-purpose oven. Available in 1, 2 and 3-section models. Ad-A-Deck construction. Each section separately controlled with top and bottom Calrod® units. Lustrous Permalucent Gray enamel with stainless-steel veneer at sides, top of door openings. Also in all stainless steel. Mfd. by Hotpoint Co.

SIZE: Height (2-section model shown) including 11" legs, 55"; width 36" depth 36". Compartment 12 1/2" clear height. Net weight 340 lbs.

PRODUCTION: Each section has 4 sq. ft. baking area. Ten, one-lb. loaves of bread, 65 lbs. meat, or six 9" pies per section.

ELECTRICAL DATA: Rating 6 KW per section. Indicating reversible 3-heat switches. Thermostat control. Signal light, each section.

PRICE (Model shown, 2-section) \$865.70

FEATURES: One pan size, all purpose. Available in one, two or three sections. Directional heat control. Each section separately controlled. Hammertone gray enamel finish. Mfd. by Griswold Manufacturing Co.

SIZE: Height (2-section model) 55"; width 36"; depth 36". Oven inside: height 12"; width 24"; depth 30".

PRODUCTION: Each section, 65 lbs. meat; 6-9" pies.

ELECTRICAL DATA: Rating 6 KW per section. Indicating reversible 3-heat switches. Thermostat control. Signal light. Griswold Thermo-Glo enclosed tubular type heating elements.


PRICE \$867.00

Heat control is positive and accurate everytime in an even-heating, electric oven. Roasting and baking in an electric oven always assures you of premium quality in the meats and foods you serve.




Commander 30

Rainier 33828




**Hotpoint HNG166
All-Purpose Oven**

Griswold H362R Oven



**ELECTRIC OVENS CUT
MEAT SHRINKAGE
UP TO 15%.**


Baker Boy 12



Hotpoint HNG225
All-Purpose, 2 Pan Oven



Griswold H54-IBIR



Hotpoint HNG242
Bake Oven

ELECTRIC COOKS THE
FOOD INSTEAD OF
THE COOK.

FEATURES: Oven. Ideal for meat roasting. Oven is designed to take 20 lb. turkey, standing ribs of beef or hams; ideal for hotel, restaurant, or institutional kitchen. Mfd. by Despatch Oven Co.

SIZE: Height 6'10"; width 7'5"; depth 6'11". Standard oven has four trays, each 26" x 56". Oven with six trays, 22" x 56", available at slight extra cost. Four tray oven can be provided with eight trays, or total of two trays on each of four shelf hanger assemblies. (4, 8, and 16 bun pan ovens also available.)

PRODUCTION: Model shown, 12 bun pans; 120 one-lb. loaves per bake; 72-9" pies.

ELECTRICAL DATA: Rating 30 KW. Open coil low gradient elements. Partlow indicating thermostat.

FEATURES: Glamourline 2-pan, all-purpose oven. Available in 1, 2 and 3-deck models. Ad-A-Deck construction. Each deck separately controlled with top and bottom Calrod® units. Permalucent Gray hammer-type enamel with stainless-steel veneer at sides, top of door openings. Also in all stainless steel. Mfd. by Hotpoint Co.

SIZE: Height (including 19" legs) 70"; width 54½"; depth 36". Compartment 12" clear height. Net weight 1,080 lbs.

PRODUCTION: (per deck) 7.2 sq. ft. baking area. 20—1 lb. loaves of bread or 12—9" pies. Meat capacity 125 lbs.

ELECTRICAL DATA: Rating 6.2 KW per deck. Indicating reversible 3-heat switches. Thermostat control. Signal light, each section.

\$1,225.40

(Model shown, 2-deck)

FEATURES: 9 combinations bake and/or roast ovens. Stain shield hood over door prevents front discoloration. Hammertone enamel finish. Preheat to 400° F. in ½ hr. Bake sections with core-plate deck. Roast sections with rigidized steel deck. Manufactured by Griswold Manufacturing Company.

SIZE: Width 54"; depth 36". Bake section 8" high, 38" wide, 28¾" deep; roast section 12" high, 38" wide, 28¾" deep.

CAPACITY: 125 lbs. meat or 2 roll pans or twelve 9" OD pies per section.

ELECTRICAL DATA: 6.2 KW. per section. 1 three-heat switch each for upper and lower elements. Griswold coil heating elements. Individual thermostat for each section, 150° F. to 550° F. Signal lights.

PRICE

\$1,190.00

FEATURES: Glamourline bake oven. Available in 2, 4 and 6-pan sizes. Ad-A-Deck construction. Tile oven decks on 4 and 6 pan models. New exclusive "Air-Cushion" steel oven deck on 2-pan model. Lustrous Permalucent Gray enamel with stainless-steel veneer at sides and top of door openings. Red plastic switches and controls. Also in all stainless steel. Mfd. by Hotpoint Co.

SIZE: 4-pan oven (shown); height 70"; width 54½"; depth 64½".

PRODUCTION: Deck area per section: 4-pan bake oven, 14.5 sq. ft.; 40 one-lb. loaves of bread or 4 standard roll pans per section.

ELECTRICAL DATA: Rating 7.5 KW per section for 2-section, 4-pan model illustrated. Indicating reversible 3-heat switches. Thermostat. Signal light on each section.

PRICE (Model shown, 4-pan, 2-section)

\$1,845.30

FEATURES: A sectional-type electric baking and roasting oven. Illustrated model features one 9" baking deck with tile hearth; two 12" roasting decks of steel. Combination of baked enamel and deluxe black satin finish. Rock Wool insulation. Convenient shelf-type doors. Removable tile hearth for baking operations. Mfd. by the Despatch Oven Co.

SIZE: Height 76½"; width 75"; depth 70"; net weight 4,500 lbs.

CAPACITY: 72 one-lb. loaves of bread, 6 bun pans, 36 9" pies, or 425 lbs. of meat per deck.

ELECTRICAL DATA: 11 KW per deck. Open coil, low gradient elements. 3-heat reversible switch. Partlow indicating thermostat.

FEATURES: All purpose oven with patented humidity control for better results. Completely front serviced. Rod type units. Simplified control. Sturdy construction "air cushion" decks. 300 lb. door. Utility black, silver grey hammertone or stainless steel finish. Four other sizes available, each size in one, two or three sections. Mfd. by Associated Products, Inc.

CAPACITY: Size shown. Left to right 54¾"; front to back 36"; height 75", includes 4" legs. 375 lb. of meat or 60 loaves of bread capacity.

ELECTRICAL DATA: Size shown, 18 KW.

PRICE (830 shown) \$1,852.00

FEATURES: Baking and roasting oven. Compact construction permits large capacity for given floor space. Spray enamel or stainless steel finish. Mfd. by Rainier Electric Oven & Engr. Corp.

SIZE: Height, 74"; width, 78"; depth, 80". Net weight 3,000 lbs.

CAPACITY: 8 bun pans.

ELECTRICAL DATA: 28 KW. ¼ H.P. motor. Open coil nichrome wire heating element.

FEATURES: Counter Roaster-Dutch Oven for commercial use—baking, roasting, stewing, sauteing, boiling, stock kettle work, braising. Dial-A-Temp thermostat permits 5 separate settings. Keeps food contents at serving temperature when finished cooking. Lustrous, non-tarnishing chrome-plated steel finish. Mfd. by Hotpoint Co.

SIZE: Height to top of backspasher, 12-13/16"; width 17-15/16"; depth 20". Net weight 40 lbs.

CAPACITY: Up to 20-lb. turkey or 50 portions stew.

ELECTRICAL DATA: Rating 1.65 KW. Calrod® Clamp-On units. Preheats to high in 35 min. Signal light. Cord and plug furnished.

PRICE \$167.50

FEATURES: Top of the counter or table installation. 1 deck. Stainless steel tubular coils. Heavily insulated; top, bottom and sides. Stainless steel finish. Mfd. by Bakers Pride Oven Co.

SIZE: Height 10¾" with legs. Baking chamber 5" high. Inside dimension 12¾" x 12½". Outside dimension 16½" x 22¾". Shipping weight (crated) 45 lbs.

PRODUCTION: Will hold 1—12" pizza and will bake 10—12" pizzas every hour.

ELECTRICAL DATA: 1,200 Watts. Heavy duty thermostat. 115 Volt, AC. Manual timer.

PRICE (F.O.B. Our Plant New York)

Stainless Steel finish only \$99.00


Despatch 345-3



Akron No. 830 Oven




Rainier 42254 Special



Hotpoint HF3 Counter Roaster




Y12 Pizza Oven




TWO OVENS IN THE
SPACE OF ONE
WITH ELECTRIC.

M02 Pizza Oven



K01 Bake Oven

Hotpoint HNP222
SUPERheat
Pizza Oven

P20 Bake Oven



ANYONE CAN
OPERATE ELECTRIC
EQUIPMENT.

FEATURES: Top of the counter installation. 2 decks. Transite hearth. Stainless steel tubular coils. Heavy duty insulation; top, bottom and sides. Unconditionally guaranteed for one year. Mfd. by Bakers Pride Oven Co.

SIZE: Height 17½"; Baking chambers approximately 3" high. Inside dimension 18" x 19"; Outside dimension 22½" x 23". Shipping weight (crated) 135 lbs.

PRODUCTION: Will hold 8—9" pizzas and will bake 60—9" pizzas every hour.

ELECTRICAL DATA: 2,850 Watts. 700 degree thermostat. 220 Volt, AC only. Manual timer.

PRICE (F.O.B. Our Plant New York)

Model M02—Bakertone gray \$204.00

Model MOS2—Stainless Steel
Exterior 300.00

FEATURES: Top of the counter installation. 1 deck. Specifically designed and manufactured for baking and de-freezing frozen food products. Excellent as a general purpose baking oven. Stainless steel tubular coils. Heavy duty insulation; top, bottom and sides. Unconditionally guaranteed for one year. Mfd. by Bakers Pride Oven Co.

SIZE: Height 17½"; Baking chambers 6" high. Inside dimensions 18" x 19"; Outside dimension 22½" x 23½". Shipping weight (crated) 135 lbs.

PRODUCTION: Will hold 4—9" pies or 1—18" x 19" bun pan.

ELECTRICAL DATA: 1,600 Watts. 700 degree thermostat. 115 Volt AC. Manual timer.

PRICE (F.O.B. Our Plant New York)

Model K01—Bakertone gray \$180.00

Model KOS1—Stainless Steel
Exterior 279.00

FEATURES: Super-fast pizza oven that also bakes, roasts. Permalucent Gray finish with stainless-steel veneer at top and sides of door opening. Also available in 1-deck unmounted, 1-deck on legs, or 3-deck on legs. Mfd. by Hotpoint Co.

SIZE: Height, 70" (model shown with 27" legs); width 54¾"; depth, 36". Net weight, 1,100 lbs.

PRODUCTION: Six 12" pizzas every 5 min.; or 20 1-lb. loaves bread; 2, 18" x 26" roll pans; or 12 9" pie tins per deck.

ELECTRICAL DATA: 7.2 KW per deck. Each deck has 2, 3-heat controls, top and bottom. Calrod® heating units plus thermostat control 300° to 600° F., on-off switch.

PRICE (2-Deck Model, Shown) \$1,283.40

FEATURES: Top of the counter or table installation. 1 deck. Specifically designed and manufactured for baking and de-freezing frozen food products. Excellent as a general purpose baking oven. Stainless steel tubular coils. Heavy duty insulation; top, bottom and sides. Unconditionally guaranteed for one year. Mfd. by Bakers Pride Oven Co.

SIZE: Height 17½"; Baking chamber 6" high. Inside dimension 20" x 21". Outside dimension 24½" x 25½". Shipping weight (crated) 150 lbs.

PRODUCTION: Will hold 4—10" pies or 1—20" x 21" bun pan.

ELECTRICAL DATA: 2,100 Watts. 700 degree thermostat. 220 Volt, AC only. Manual timer.

PRICE (F.O.B. Our Plant New York)

Model P20—Bakertone gray \$240.00

Model PS20—Stainless Steel
Exterior 300.00

ELECTRIC STEAM COOKERS

FEATURES: Top of the counter installation. 2 decks. Transite Hearth. Stainless steel tubular coils. Heavy duty insulation; top, bottom and sides. Unconditionally guaranteed for one year. Mfd. by Bakers Pride Oven Co.

SIZE: Height 17"; Baking chambers approximately 3" high. Inside dimension 16¼" x 16¼"; Outside dimension 20¾" x 21¾". Shipping weight (crated) 120 lbs.


PRODUCTION: Will hold 2—16" pizzas and will bake 15—16" pizzas every hour.

ELECTRICAL DATA: 1,600 Watts. 700 degree thermostat. 115 Volt, AC only. (Also available wired for 220 Volt AC; on request only—at additional cost.) Manual timer.

PRICE (F.O.B. Our Plant New York)

Model LO2—Bakertone Gray,
115 volt \$153.00
220 volt \$168.00

Model LOS2 — Stainless Steel
Exterior \$249.00



LO2 Pizza Oven

ELECTRIC STEAM COOKERS

FEATURES: Combination 2 compartment steam cooker, 4 bushel capacity and a 40 gal. steam jacketed kettle. Stainless steel top drains condensate from cooker and kettle to one point. Eliminates tiled curb or recessed flooring. Available with stainless steel interior with enamel exterior or polished stainless steel exterior. ½" water and 1½" drain connections required. Mfd. by Market Forge Co.

SIZE: Height 64"; width 64"; depth 34".

PRODUCTION: Boiler provides steam to bring 40 gals. water to a boil in one-half hour or less.

ELECTRICAL DATA: 24 KW boiler.

PRICE \$2,530.00 to \$3,050.00
(depending on finish)

FEATURES: High-compression steam cooker at 15 lbs. pressure. Needs no steam or water connections. Stainless steel finish. Matching floor stand available. Mfd. by Hotpoint Co.

SIZE: Height (to top of pressure gauge), 26⅞"; width 18½"; depth 30⅜" (including handle). Net weight, 120 lbs.

CAPACITY: 30-lb. turkey in hr. 22 lbs. peas in 60 seconds. Holds 3 No. 200 pans.

ELECTRICAL DATA: 12 KW. Combination on-off switch and timer. Thermostatic steam trap, safety valve, low-water cut-off, steam gauge.


PRICE \$595.00

Fresh or frozen meats and vegetables are deliciously cooked in the electric steam cookers and kettle. Adaptability and convenience are two reasons for their continually increasing popularity.




Market Forge 2M-KE Combination

Hotpoint HC1 Steam Cooker



ELECTRIC CONTROLS
GUARD FOOD
FLAVOR.



Market Forge ST-TKE

FEATURES: Combination pressure cooker and tilting kettle. Automatic, direct connected steam-it with tilting kettle. Provides steam pressure cooking to those with no direct steam supply. Cabinet, base stainless steel; cooking cylinder aluminum. Mfd. by Market Forge Co.


SIZE: Height, 55½"; width, 61¼"; depth, 31¾". Net weight 850 lbs.

CAPACITY: ½ bushel cooker, 10 and 20 qt. tilting kettle. Cooks 30 lbs. potatoes in 20 min., 30 lbs. turkey in 1 hr.

ELECTRICAL DATA: 18 KW. 0-60 min. electric timer.

PRICE**\$2,660.00**

Groen Model TDB



FEATURES: Electric stainless steel steam jacketed self-contained hermetically sealed table mounted tilting kettle. No steam, no water connections required. Contains factory-installed water supply. Makes its own steam. Mfd. by Groen Mfg. Co.

CAPACITY: 20 quarts.

ELECTRICAL DATA: 5½ KW.

PRICE**\$570.00**

Market Forge 3ST-ASE

FEATURES: 3 compartment pressure cooker each fully automatic and controlled by timer. ½" water connection and 1" drain line to open sink or floor drain. All valves and controls concealed. Base provides storage space for pans. Mfd. by Market Forge Co.


SIZE: Height 60"; width 56"; depth 30".

PRODUCTION: Each compartment holds standard cafeteria pan, 12" x 20" x 2¼", at proper working height.

ELECTRICAL DATA: Boiler rating 18 KW.

PRICE**\$2,450.00**

Model 2ST-ASE—2 compartments


\$1,950.00Market Forge ST-KE
Combination

FEATURES: Combination Steam-It pressure cooker with a ½ bushel capacity and a 20 gal. steam jacketed kettle. The kettle and exterior of the cabinet and pressure cooker are stainless steel. ½" water and 1" drain connections required. Mfd. by Market Forge Co.

SIZE: Height 58"; width 45½"; depth 32".

PRODUCTION: Pressure cooker for vegetables, meats and poultry. Steam kettle for soups, stews and casseroles. Cooker holds 3 standard cafeteria pans, 12" x 20" x 2¼".

ELECTRICAL DATA: Rating 18 KW.

PRICE**\$1,860.00**

Star Steamro Junior 35

FEATURES: Combination hot dog steamer and bun warmer. Bright red baked enamel base, stainless steel body. Adjustable humidity control. Plate glass compartment display windows. Mfd. by Star Manufacturing Co.

SIZE: Height 16"; width 18"; depth 13¼". Weight 26 lbs.

CAPACITY: Steam section 150 hot dogs. Bun warmer section 30 to 40 buns.

ELECTRICAL DATA: 750 watts AC. 2-wire service. Thermostat. Heavy duty nichrome wire. A plug-in appliance.

PRICE**\$65.00**

ELECTRIC MEANS
SIMPLICITY OF
OPERATION.

ELECTRIC STEAM COOKERS

FEATURES: Automatic pressure cooker. 15 lbs. pressure. Aluminum welded seamless cooking cylinder, stainless steel exterior. Mfd. by Market Forge Co.

SIZE: Height 28"; width 18½"; depth 30". Cooking done in standard cafeteria 12" x 20" pans.

PRODUCTION: 30 lbs. potatoes in 20 minutes. 30 lb. turkey in less than one hour.

ELECTRICAL DATA: 12 K.W. 208/240 volts. Single or three phase 60 cycle power. Electrically operated timer.

PRICE **\$595.00**
Stand extra \$45.00

FEATURES: Electric, stainless steel, steam-jacketed, self-contained, steam-cooking kettle. A.S.M.E. constructed. Hermetically sealed with temperature control from 140° F. to 250° F. Kettles available in sizes from 20-80 gallon capacity. Mfd. by Groen Mfg. Co.

SIZE: Height 40"; diameter 30"; depth 24"; net weight 460 lbs.

CAPACITY: 30 gallons.

ELECTRICAL DATA: 10 KW. Radiant heaters. Thermostat. Control from 140° to 250° F.

PRICE **\$942.00**

FEATURES: Compact counter electric steam-generating steam cooker and warmer. Stainless steel interior. Base optional. Mfd. by the Cleveland Range Company.

SIZE: Height 21"; width 21½"; depth 25¾"; shipping weight 150 lbs.

CAPACITY: Holds 3 cafeteria pans 12" x 20" x 2½" or 6 pans 12" x 10" x 2½".

ELECTRICAL DATA: 4 KW. Two contact elements. Timer. AC 208, 220 single phase.

PRICES **On Application**
Two-compartment model also available.

FEATURES: Electric steam cooker with automatic steam generating system. Stainless steel interior and enamel or polished stainless steel exterior. Mfd. by Market Forge Co.

SIZE: Height 66"; width 35"; depth 34".

PRODUCTION: Capacity 100 lbs. whole potatoes in approximately 30 minutes with 5 lbs. steam pressure. Various basket and shelf arrangements are available.

ELECTRICAL DATA: Rating 18 KW.

PRICE **\$1,060.00 to \$1,810.00**
(depending on finish)

FEATURES: Steam-generating steam cooker. Optional timers available. Baked enamel or polished stainless steel finish. Manufactured by the Cleveland Range Co.


SIZE: Height 59"; width 25"; depth 24½"; net weight (approx.) 900 lbs.

CAPACITY: 4 bushels per load, 2 or more loads per hour.


ELECTRICAL DATA: 15 KW with relay and pressure switch. Immersion heating elements. Thermostatic control.

PRICES **On Application**


Market Forge ST-E Steam It




Groen AE




Steamcraft Cub I-E-T



Market Forge 2M-E





Steam-Chef 2SB



YOU CHOOSE THE
BEST WHEN YOU
INVEST IN ELECTRIC.


Save on shrinkage and cut food costs with electric griddles and grills. Better foods, served faster, results in greater sales volume for the food service operator who uses electric equipment.

Hotpoint "Rocket" Duo-Grid




Wells Griddle

Star 29



**Akron 360B
Super Griddle**



NO HEAT VARIANCE
WITH ELECTRIC.

ELECTRIC GRIDDLES AND GRILLS

FEATURES: Custom-matched Counterline griddle. Automatic temperature controls permit operating either half of griddle independently. Removable grease pan. Cast-iron grid. Mfd. by Hotpoint Co.

SIZE: Height to grid surface 10"; height to top of backsplash 12-13/16"; width 26-1/6"; depth 20". Usable frying area 404 sq. in.

PRODUCTION: 480 hamburgers per hour.

ELECTRICAL DATA: Rating 6 KW. Cal-rod® clamp-on heating units. Preheats to 400° in 11 minutes. Hydraulic thermostats. Signal lights.

PRICE

\$189.50

FEATURES: A high-powered counter or floor type griddle. Automatic temperature control. Glistening stainless steel cabinet. Cast iron grid with drain trough surrounding frying area. Mfd. by Wells Manufacturing Co.

SIZE: Height 15 3/4" (to top of splashguard); width 20 1/2"; depth 15 1/2"; shipping weight 78 lbs.

PRODUCTION: Frying area 13" x 18 3/8". 180 hamburgers or 270 eggs per hour.

ELECTRICAL DATA: 3.5 KW. Thermostat. Strip heating elements. Preheats to 400° F. in 9 1/2 min.

PRICE

Griddle \$119.50

Stand (Stainless Steel) \$ 33.00

FEATURES: "Quik-Serv" toaster and grill. Chrome-plated steel body. Cast aluminum grid. Manufactured by Star Mfg. Co.

SIZE: Height 7"; width 12 1/2"; depth 11". Net weight 17 lbs.

PRODUCTION: Four grilled sandwiches per minute; 9 hamburger sandwiches in 3 minutes. Cooking area 11" x 10".

ELECTRICAL DATA: Rating 1,315 watts. Chromalox elements. AC or DC. Three-heat switch. A plug-in appliance.

PRICE

\$55.00

FEATURES: Top, two section with separate automatic dial thermostatic control. Easily removable, full width scavenger box at rear. Beautiful wrap around construction. In silver grey hammertone or stainless steel finish. Mfd. by Associated Products, Inc.

SIZE: Height 9"; width 34 3/8"; depth 21 1/2". Griddle surface, width 34"; depth 18".

PRODUCTION: Over 700 large hamburgers per hour with 10,000 W input.

ELECTRICAL DATA: 6 KW or 10 KW, same price. Rod type elements clamped under griddle surface for perfect contact, easily replaced. Four other models available.

PRICE (360B shown) Hammertone \$239.00

Stainless steel \$272.00

FEATURES: High-speed griddle. Full-width, front and rear grease trough, 1 piece, $\frac{1}{2}$ " steel grid; wrap-around grease guard. Stainless steel finish. Also available with front grease trough only. Cooks cold load after cold load without killing griddle heat. Mfd. by Hotpoint Co.

SIZE: Height, $12\frac{3}{4}$ "; width, 36"; depth, $31\frac{5}{32}$ ". Net weight, 207 lbs.

CAPACITY: 1,050 4-oz. hamburgers per hr.

ELECTRICAL DATA: 16.2 KW. Calrod® heating units plus thermostat control 200° to 450° F. 4 combination on-off and temp. control switches, each controlling $\frac{1}{4}$ of grid area.

PRICE **\$349.50**

FEATURES: 36" heavy duty general purpose steel griddle. Stainless steel body. Adjustable feet for leveling. Front opening grease drawer. Convenient drain slot and splash guard. Mfd. by Star Mfg. Co.

SIZE: Height 8-5/16"; width $36\frac{1}{8}$ "; depth $21\frac{1}{8}$ ". Net weight 110 lbs.

PRODUCTION: Griddle area 600 sq. in.

ELECTRICAL DATA: Two Robertshaw heavy duty thermostats to give pin point control to permit operation of individual sections at different temperatures. Voltage 236 and 208. Connected load 6,000 watts.

PRICE **\$169.00**

Adaptor base for battery installation

\$ 19.00

FEATURES: General purpose counter griddle. Stainless steel frame. Polished cast iron frying surface. Removable trough. Manufactured by Griswold Manufacturing Co.

SIZE: Height $7\frac{3}{4}$ "; width 36"; depth $20\frac{1}{2}$ ". Net weight 180 lbs.

PRODUCTION: Nine T-bone steaks per load. Frying area $18\frac{1}{4}$ " x $35\frac{1}{2}$ ".

ELECTRICAL DATA: Rating 9 KW. Adjustable thermostat for each 12-inches of width. Model N2524 Griddle available, 6 KW. 24" wide x $20\frac{1}{2}$ " deep. Signal lights.

PRICE (N2736) **\$228.00**
(N2524) **\$165.00**

FEATURES: Heavy duty general purpose steel griddle. Stainless steel body. Adjustable feet for leveling. Front opening grease drawer. Convenient drain slot and splash guard. Mfd. by Star Mfg. Co.

SIZE: Height 8-5/16"; width $24\frac{1}{8}$ "; depth $21\frac{1}{8}$ ". Net weight 75 lbs.

PRODUCTION: Griddle area 380 sq. in.

ELECTRICAL DATA: Robertshaw heavy duty thermostat. Voltage 236 and 208. Connected load 4,000 watts.

PRICE **\$131.00**

Adaptor base for battery installation

\$16.00


FEATURES: One of the new matched counter appliances. High-speed automatic griddle, two thermostats. Griswold quality cast iron grid. Grease pan removable from front. Satin chrome finish. Mfd. by Griswold Mfg. Co.

SIZE: Height, 12" (to top of backsplash); width, 30" depth, 18". Ship. weight 120 lbs.

PRODUCTION: Frying area $14-11/16$ " x 28". 320 hamburgers per hour.

ELECTRICAL DATA: Rating 6 KW. Enclosed tubular heating elements. Preheat to 400° F. in 11 min. Hydraulic thermostat. Signal lights. Model N2418 griddle, matched appliance. Same as above except width, 18", rating 3.4 KW, one thermostat, 176 hamburgers per hour.

PRICE (N2430) **\$189.00**
(N2418) **\$115.00**



Hotpoint HGB56 "Rocket 16-X"




Star 153



Griswold N2736




Star 152




Griswold N2430

YOU JUST CAN'T
BEAT ELECTRIC.



Star Counter-Chef 151




Speedster EG-1836

Hotpoint HG2
"Rocket 3"
Griddle

Griswold N1100

Hotpoint HGB55
"Rocket 12-X"
Griddle

Hotpoint HG5 "Rocket" Griddle-Grill



ELECTRIC CONTROLS
GUARD FOOD
FLAVOR.

FEATURES: Combination griddle and steamer. Stainless steel finish. Cast aluminum griddles. Mfd. by Star Mfg. Co.

SIZE: Height 12"; width 38"; depth 23½"; net weight 75 lbs.

PRODUCTION: Griddle size, each 12" x 19". Steam compartment 6" x 18" x 9½". Warming compartment 5" x 17" x 21".

ELECTRICAL DATA: Rating 3,200 watts Chromalox elements. Three 3-heat switches.

PRICE \$185.00

FEATURES: Matched counter line griddle. Maximum cooking surface, top heat input for constant temperature. Heavy loading won't "kill." 6-qt. grease drawer. Mfd. by Miller & Carrell Mfg. Co.

SIZE: Height, 9½"; width, 36"; depth, 22". Also available in 18" and 24" widths. Ship. weight 150 lbs.

CAPACITY: 900 hamburgers per hr.

ELECTRICAL DATA: 8000 watts, 230 or 208 volts, AC only.

PRICE F.O.B. Denver, Colo. \$185.15

FEATURES: High-speed, automatic griddle. Cast-iron grid. Convenient grease pan. Lustrous, non-tarnishing chrome-plated steel finish. Manufactured by Hotpoint Company.

SIZE: Height to top of backsplash 12-13/16"; width 17-15/16"; depth 20"; net weight 48 lbs.

PRODUCTION: 160 eggs or 240 hamburgers per hour. 16 hamburgers per load.

ELECTRICAL DATA: 3 KW. Calrod® elements. Preheats to 400° in 8 minutes. Hotpoint built hydraulic thermostat. Signal light.

PRICE \$104.50

FEATURES: Sandwich toaster and light meat grill. Bottom grill operates separately as griddle. High polish chrome finish. Mfd. by Griswold Manufacturing Co.

SIZE: Height (top raised) 22½"; width 15½"; depth 18½". Net weight 35 lbs.

PRODUCTION: Grill surface 12" x 13". Capacity nine 4-inch sandwiches.

ELECTRICAL DATA: Rating 1,650 watts. Nichrome coil elements. Sectional switch. Thermostat. Signal light. Plug-in appliance.

PRICE \$137.55

FEATURES: High-speed griddle. Front and rear grease troughs, wrap-around grease guard. Stainless steel. Also available with front grease trough only, in stainless steel or Permalucent Gray. Cooks cold load after cold load without killing griddle heat. Mfd. by Hotpoint Co.

SIZE: Height, 12¾"; width 36"; depth, 25 5/32". Net weight, 152 lbs.

CAPACITY: 720 4-oz. hamburgers per hr.

ELECTRICAL DATA: 12 KW. Calrod® heating units. 2 combination on-off and temp. control switches, 200° to 450° F.

PRICE \$267.20

FEATURES: Grill or griddle. Use it closed as top and bottom heat grill; turn off top grid heat, lock in raised position, use bottom grid as conventional griddle. Chrome-plated steel finish. Mfd. by Hotpoint Co.

SIZE: Height, 12 13/16"; width, 17 15/16"; depth, 20" (to top of backsplash). Net weight 72 lbs.

CAPACITY: 360 4-oz. hamburgers per hr.

ELECTRICAL DATA: 6 KW. Calrod® heating units. 3 combination on-off switches and temp. control from 200° to 450° F.

PRICE \$199.50

ELECTRIC HOTPLATES

FEATURES: Two unit hotplate. Mar-proof work area. Dual signal lights. Drip pan. Stainless steel cabinet. Mfd. by Wells Mfg. Co.

SIZE: Height 12"; width 20½"; depth 15½"; shipping weight approx. 30 lbs.

PRODUCTION: One 6" and one 8" element.

ELECTRICAL DATA: 3,350 watts. Chromalox tubular elements. Dual 3-heat switches. Pilot-lights.

PRICE Hotplate **\$79.50**

FEATURES: Single unit heavy duty hotplate. Stamped steel frame with porcelain enamel finish. Mfd. by Edwin L. Wiegand Co.

SIZE: Height 5½"; width 11¼"; depth 13⅝". Shipping weight 15 lbs.

ELECTRICAL DATA: Rating 1,200 or 2,000 watts. Chromalox Supreme tubular range element. Either 118 and/or 236 V with 3-heat switch or 236 V with 7-heat switch. UL approved.

PRICE STM-1201 1200 watts **\$25.15**
STM-2001 2000 watts **\$27.20**

FEATURES: Double unit heavy-duty hot plate. Stamped steel frame, porcelain enamel top. Mfd. by Edwin L. Wiegand Co.

SIZE: Height 6"; width 21½"; depth 12½". Shipping weight 20 lbs.

ELECTRICAL DATA: Two Chromalox Supreme tubular range elements, each 1200 W 118 V, 3-heat switch. Also available with one 1200 W and one 2000 W unit or two 2000 W units. All models available in 236 V. with 7 heat switches. UL approved.

PRICE **\$45.90**

FEATURES: Twin unit hotplate. Ribbed landing deck for convenient handling of pots and pans. Lustrous, non-tarnishing chrome-plated steel finish. Mfd. by Hotpoint Co.

SIZE: Height to top of backsplasher 12-3/16"; width 17-15/16"; depth 20". Net weight 30 lbs.

ELECTRICAL DATA: Rating 2.5 KW. Two 6-inch Hi-Speed Calrod® heating elements. Signal light.

PRICE **\$72.50**

FEATURES: Hot plate. Thermal-eye heat control, set it and forget it. Signal light. Satin chrome finish. Automatic adjustable thermostat control. Mfd. by Griswold Mfg. Co.

SIZE: Height, 12" to top of backsplash; width, 12"; depth, 18". Net weight 22 lbs.

ELECTRICAL DATA: 2.3 KW. Robertshaw thermal-eye switch. Enclosed tubular heating element. Plug-in appliance. Model N2602 matched appliance. Two 6" diameter units, with infinite heat control switch.


PRICE N2601 **\$74.00**
N2602 **\$74.00**

Low maintenance costs combined with fast heat are yours with electric hotplates to aid your food operation. They're styled for small space and can be plugged into the nearest electric outlet.


Wells H-62



Chromalox STM




Chromalox TTM-A-2401



**Hotpoint HH1
Hotplate**




Griswold N2601




FOR SAFETY,
ELECTRIC COOKING
IS MATCHLESS.

Freshness of cooked foods is retained longer in an electric food warmer. Hot foods can be stored at the exact holding temperature with electric to facilitate your food service operation.


Seco-matic DME-5DG




Cres-Cor 130-1836



Thermotainer Type C, CPT



Thermotainer Type E



**ELECTRIC
EQUIPMENT SAVES
FLOOR SPACE.**

ELECTRIC FOOD AND ROLL WARMERS

FEATURES: Combination hot food table for dry or moist food storage. One-piece, die stamped stainless steel top, with five 12" x 20" openings. Stainless steel clad receptacles. Painted galv. body. Enclosed base, sliding doors. Glass guard. Stainless shelf. 23 other models available. Mfd. by Seco Co., Inc.

SIZE: Height (working) 34"; length 6'; width 32". Shipping weight 335 lbs.

CAPACITY: Five Corox heated 12" x 20" top openings.

ELECTRICAL DATA: Rating 4,000 watts. Each opening (exterior), thermostat control.

PRICE

On Application

FEATURES: Mobile hot cabinet. Built-in blower. All aluminum, corrugated side walls, wall-type door, gravity-type door latch, neoprene-tired, ball bearing casters. Mfd. by Crescent Metal Products, Inc.

SIZE: Height, 69¾" or 70"; length, 30"; width, 21"; weight, 165 lbs.

CAPACITY: 18" x 26", or 14" x 18" aluminum trays.

ELECTRICAL DATA: 1500 watts, 110 volts, 60 cycle. Blower motor draws only 40 watts. Automatic clock-type switch, 1 to 12 hr. setting. 2-prong plug with safety ground. Chromalox strip heaters.

PRICE

\$420.75

FEATURES: Fully-insulated 6-compartment food and roll storage unit. Stainless steel. Damper control for each compartment. Mfd. by Franklin Products Corp.

SIZE: Height 4' 8"; width 3' 6"; depth 2' 6"; net weight 500 lbs.

CAPACITY: 100 chicken orders, 300 vegetable servings or 25 lb. roast per comp.

ELECTRICAL DATA: Rating 2,000 watts. AC-DC combination thermostat and on-off switch with pilot light. Strip heaters.

PRICE

Type C \$ 975.00

Type CPT \$1,175.00

FEATURES: Four compartment type food warmer and storage unit for banquets or rush periods. Fully insulated. Stainless steel. Hinged doors. Manufactured by Franklin Products Corp.

SIZE: Height 4' 6"; width 3' 1½"; depth 2' 4½". Net weight 500 lbs.

CAPACITY: Holds 16 No. 200 pans. Four 13" x 23½" x 7" compartments.

ELECTRICAL DATA: Rating 1,500 watts. Strip heaters. AC-DC combination thermostat, and on-off switch with pilot light.

PRICE

\$1,050.00

FEATURES: Waterless hot food unit. All-welded stainless steel construction. Choice of top arrangement; interchangeable top plates. Fully insulated for maximum efficiency. Many model sizes available for any capacity need. Mfd. by Duke Manufacturing Co.

SIZE: Shown—Height 34", adjustable to 35 1/4"; width 58 1/2"; depth 24 1/2".

ELECTRICAL DATA: Rating 400 to 700 watts in each section depending on model. Chromalox elements. Thermostat control.

FEATURES: Kitchen hot food storage unit, cook's work table. Stainless steel finish. 4 section shown; also available in 2 and 3 section sizes. Mfd. by Franklin Products Corp.

SIZE: Height 34"; width 106"; depth 30"; net weight 900 lbs.

CAPACITY: Forty 12" x 20" x 2" pans.

ELECTRICAL DATA: 3,000 watts. Chromalox strip heaters, Robertshaw thermostat.

PRICE **\$1,900.00**

FEATURES: Waterless hot food unit. Salad section, cold drink section, and urn section. Available in any number and combination of standard units to meet any size volume. All-welded stainless steel construction. Fully insulated. Mfd. by Duke Manufacturing Co.

SIZE: Units 34" high; length 30 3/4", 44 3/4", 58 3/4" and 72 3/4"; depth 24" or 30".

ELECTRICAL DATA: Rating 700 watts in each heated section. Chromalox elements. Thermostat control.

FEATURES: Food conveyor. Hot and cold compartments. Neoprene, ball bearing casters. Aluminum alloy construction. Mfd. by Crescent Metal Products Inc.

SIZE: Height, 53"; length, 24"; width, 58"; weight, 159 lbs.

CAPACITY: Carries hot and cold beverages, hot and cold sandwiches, desserts, cutlery, cups, napkins, confections and tobaccos.

ELECTRICAL DATA: To suit needs.

PRICE Upon Submission of Requirements.

FEATURES: Mobile waterless food warmer. Rubber tired ballbearing wheels, rubber bumper. Welded stainless steel construction. Fully insulated. Mfd. by Duke Mfg. Co.

SIZE: Shown including bumper, with carving shelf down—Height 37"; width 53"; depth 28"; net weight 325 lbs. 16 sizes available with 15 top arrangements.

ELECTRICAL DATA: Rating 400 to 700 watts in each section depending on model. Chromalox elements. Thermostat control. A plug-in appliance.


FEATURES: Mobile proof cabinet for baked goods. Built-in water reservoir. Thermostatically controlled, automatically timed. Wall type doors. Neoprene rubber, ball bearing casters. Aluminum alloy construction. Mfd. by Crescent Metal Products, Inc.

SIZE: Height 69 3/4" or 70"; length, 30"; width, 21"; weight, 154 lbs.


CAPACITY: 36, 18" x 26" pans.

ELECTRICAL DATA: 1000 watts, 110 volts, 60 cycle. Automatic, clock-type switch, 1 to 12 hr. setting. Chromalox heating element. 2-prong plug with ground safety.


PRICE **\$312.75**




Thurmaduke Standard




Thermotainer Type AA




Thurmaduke Cafeteria Counter



Cres-Cor 704




Thurmaduke Portable



Cres-Cor 120-1836

CLEAN ELECTRIC
CUTS KITCHEN
MAINTENANCE.

Thermotainer Truck Type T-2





Seco-Matic DME-3PTS

Hotpoint HF4
Roll Warmer

Star 125

Thermotainer Type UC



Griswold 1315X

ELECTRIC'S A
FLAVOR SAVER.

FEATURES: Four compartment hospital or banquet service truck. Stainless steel finish. Mfd. by Franklin Products Corp.

SIZE: Height 4' 7"; width 4' 6"; depth 2'; net weight 700 lbs.

CAPACITY: Seventy-two 10" dinner plates or eight 16" x 22" trays.

ELECTRICAL DATA: 1,500 watts. Chromalox strip heater, Robertshaw thermostatic control. Three-prong connector plug-in appliance.

PRICE **\$1,800.00**

FEATURES: Portable hot food table. Dry and moist food storage. One-piece, die-stamped stainless steel top. No top vent holes. Mfd. by Seco Co., Inc.

SIZE: Height, 34 1/4"; width, 52"; depth, 32" with cutting board raised. Ship. weight 355 lbs.

CAPACITY: Three 12" x 20" openings.

ELECTRICAL DATA: 2.4 KW. Exterior switch. Westinghouse corox heating element.

FEATURES: Portable roll warmer. Warms and keeps rolls and buns fresh. Stainless-steel metal roll compartment. Non-tarnishing chrome-plated steel finish. 5 separate temperature settings. Mfd. by Hotpoint Co.

SIZE: Height to top of backsplash 12-13/16"; width 19-15/16"; depth 20". Net weight 40 lbs.

CAPACITY: Holds 4 dozen hamburger rolls.

ELECTRICAL DATA: Rating 1.65 KW. Calrod® clamp-on units. Heats to 125° bun temperature in 30 minutes. Signal light. Cord and plug.

PRICE **\$157.50**

FEATURES: STAR-MASTER roll warmer, stainless steel body, bun rack, and roll top cover. Operates with or without water. Manufactured by Star Manufacturing Company.

SIZE: Height 20 1/2"; width 14"; depth 23 5/8"; net weight 45 lbs.

PRODUCTION: Stainless steel rack 11" x 18" x 5". Holds 6 to 7 dozen buns or rolls.

ELECTRICAL DATA: Rating 800 watts. Ni-chrome V coil elements. AC only. Rotary switch. Thermostat. A plug-in appliance.

PRICE **\$121.00**

FEATURES: Under counter hot food storage unit. Stainless steel construction. Fully insulated. Durable hinged door. Manufactured by Franklin Products Corporation.

SIZE: Height 1' 5"; width 1' 11"; depth 2' 3"; net weight 150 lbs.

CAPACITY: Three 12" x 20" meat pans.

ELECTRICAL DATA: Rating 750 watts. Strip heaters. AC-DC combination thermostat and on-off switch with pilot light.

PRICE **\$325.00**

FEATURES: Dry-type food warmer. Double walled and insulated. Automatic adjustable thermostat. Lustro-chrome finish. Mfd. by Griswold Mfg. Co.

SIZE: Height, 14"; width, 9 1/8"; depth, 17 1/2". Net weight 30 lbs.

CAPACITY: 8 quarts.

ELECTRICAL DATA: 425 watts. Coil type heating element in brick refractory. Plug-in appliance.

PRICE **\$88.20**

FEATURES: Completely automatic, well insulated, large capacity plate and food warmer at low cost. Economical operation. Balanced heat distribution. Attractive appearance. Silver grey hammertone or stainless steel finish. Manufactured by Associated Products, Inc.

SIZE: 30" wide x 21" deep x 42" high. Bottom plus 3 shelves. Shelf area 2,400 sq. in. Weight 210 lbs.

ELECTRICAL DATA: 1,000 watts, plug-in appliance. Thermostat set 165°. On and off switch. Pilot light.

PRICE Hammertone \$198.00
Stainless \$370.00

FEATURES: Holds cooked foods at the peak of perfection for hours. Holds #200 pans. 2, 3 and 4-drawer models. Heavy gauge stainless steel with chrome trim. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: 3B8, Height, 21 $\frac{3}{8}$ "; width, 29 $\frac{1}{4}$ "; depth, 19 $\frac{1}{4}$ "; ship. weight 180 lbs. 3C8, Height, 44"; width, 29 $\frac{1}{4}$ "; depth, 19 $\frac{1}{4}$ "; ship. weight 284 lbs. 3D8, Height, 44"; width, 29 $\frac{1}{4}$ "; depth, 19 $\frac{1}{4}$ "; ship. wt. 334 lbs. Drawer size all models: Height, 5 $\frac{1}{4}$ "; width, 22 $\frac{1}{2}$ "; depth, 13 $\frac{1}{2}$ ".

CAPACITY: 3B8, 42 doz. rolls per hr.; 3C8, 63 doz. per hr.; 3D8, 84 doz. per hr.

ELECTRICAL DATA: 3B8, rated 800 watts; 3C8, rated 1,000 watts; 3D8, rated 1,200 watts. Plug-in appliances. AC.

PRICE 3B8, 2-drawer \$290.00
3C8, 3-drawer \$385.00
3D8, 4-drawer \$445.00

Prices slightly higher on Pacific Coast

FEATURES: 2-drawer Hot-Food Server for use on or under the counter, or in back-bar installation. Individual drawer adjustable humidity control. Stainless steel. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 22 $\frac{1}{4}$ "; width 23"; depth 16". Shipping weight 148 lbs.

CAPACITY: 27 doz. average rolls/hr.

ELECTRICAL DATA: 800 watts. Thermostat adjustable up to 250° F. AC. Plug-in appliance.

PRICE \$215.00

Prices slightly higher on Pacific Coast

FEATURES: 2-drawer Hot-Food Server. Airtight, individual drawers, adjustable humidity control. Stainless steel. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 22 $\frac{1}{4}$ "; width 23"; depth 23". Shipping weight 183 lbs.

CAPACITY: 36 dozen ave. rolls per hr.

ELECTRICAL DATA: 800 watts. Thermostat adjustable up to 250° F. AC. Plug-in appliance.

PRICE \$235.00

Prices slightly higher on Pacific Coast

FEATURES: Stainless steel. Fully insulated. Holds standard inset. Adjustable temperature control. Mfd. by Wells Manufacturing Co.


SIZE: Height 11 $\frac{3}{4}$ "; width 11 $\frac{3}{4}$ "; depth 11 $\frac{3}{4}$ ". Net weight 15 lbs.

CAPACITY: 11 qts. (model shown).

ELECTRICAL DATA: 500 watts. Clamp-on type heating elements. A plug-in appliance.

PRICE Type MS \$58.50


Akron 542 Warmer




Toastmaster Hot-Food Servers
3B8, 3C8, 3D8



Toastmaster 3B7





Toastmaster 3B2




Wells Portable Soup Station

YOU CHOOSE THE
BEST WHEN YOU
INVEST IN ELECTRIC.

Helmco DLD-252





Medalie Dual SS-202

Griswold N2200
Food Warmer,
W/2203AP Inserts

Scotty Single SS-200DM

Scotty Twin SS220 DM



Wells MPD-8 1/2

NO SOOT, SMOKE
OR FUMES WITH
ELECTRIC.

FEATURES: Double food warmer. Hot cereals, barbecue, stews, chili, etc. Serves direct from No. 10 tin. Bowls also available. Stainless steel. Mfd. by Helmco, Inc.

SIZE: Height, 12"; width, 19 1/2"; depth, 10 1/2". Ship. weight 19 lbs.

CAPACITY: Two No. 10 tins.

ELECTRICAL DATA: Rating 700 watts. Two Dial-A-Heat temperature control knobs. Includes 2 4-oz. serving ladles. Guaranteed. UL approved.

PRICE (less bowls)

\$68.00

FEATURES: Wet or dry food warmers. Portable. Glass insulated. Fully automatic. Mfd. by Medalie Mfg. Co.

SIZE: SS-202: 12"x14 1/2"x11". Ship. wt. 20 lbs. SS-203: 8 1/2"x14"x11". Ship wt. 17 lbs.

CAPACITY: SS-202: 11 qts. SS-203: 7 qts.

ELECTRICAL DATA: 500 watts, AC. Chromalox element, Fenwal thermostat. Plug-in.

PRICE

SS-202 \$59.75

SS-203 \$49.75

Price does not include inset pans.

FEATURES: One of the new matched counter appliances. Counter type plug-in food warmer. Cast aluminum heat receptacle. Leveling legs. Mfd. by Griswold Mfg. Co.

SIZE: Height to backsplash 12"; width 24"; depth 18". Shipping weight 65 lbs.

PRODUCTION: 32 quart maximum capacity. Over 500 combinations of inserts. Standard 12" x 20" opening.

ELECTRICAL DATA: 1.65 KW. Signal light. Cord furnished. Other combinations of inserts available.

PRICE

\$104.50

FEATURES: Seco-Matic "dry-or-moist" heat, portable hot food storage unit. Stainless steel construction. Smooth rounded edges and corners. Manufactured by Seco Co., Inc.

SIZE: Height 10 1/8"; width 15"; depth 22 5/8". Shipping weight 56 lbs.

CAPACITY: Opening 12" x 20".

ELECTRICAL DATA: Rating 800 watts. Seco-matic receptacles. 3-heat exterior control. A plug-in appliance. AC only.

PRICE

\$109.85

FEATURES: Seco-Matic "dry-or-moist" heat, portable hot food storage unit. Lustrous stainless steel construction, smooth rounded edges and corners. Mfd. by the Seco Co., Inc.

SIZE: (overall) Height 10 1/8"; width 28 1/2"; depth 22 5/8". Two openings 12" x 20". Shipping weight 88 lbs.

ELECTRICAL DATA: Rating 1,600 watts. Seco-Matic receptacles. 3-heat exterior control. AC only. A plug-in appliance.

PRICE

\$198.45

FEATURES: Automatic portable food warmer. Individual heat controls and switch for each well. Glistening stainless steel cabinet. Mfd. by Wells Manufacturing Co.

SIZE: Height 12"; width 14"; depth 22 1/8"; shipping weight 24 lbs.

PRODUCTION: Holds two #8 1/2 (7 qt.) insets. (Other models available).

ELECTRICAL DATA: 1,000 watts. Dual precision thermostats. A plug-in appliance.

PRICE (Includes Cord & Plug)

\$98.50

FEATURES: Automatic portable hot meat pan. Adjustable temperature control and switch and pilot light. Glistening stainless steel cabinet. Mfd. by Wells Mfg. Co.


SIZE: Height 12"; width 14"; depth 22 $\frac{1}{8}$ "; shipping weight 24 lbs.

PRODUCTION: Holds one 12" x 20" standard pan 2", 4", or 6" deep. Also any fractional combination of above.

ELECTRICAL DATA: 1,000 watts. Patented precision thermostat. A plug-in appliance.

PRICE (Includes Cord & Plug) \$98.50

Wells MP



FEATURES: STAR-MASTER 4-pot food server shown. Stainless steel body, top. Porcelain or stainless steel pots. 2-pot and pan-type models available. Mfd. by Star Mfg. Co.


SIZE: Height 12"; width 14"; depth 23 $\frac{5}{8}$ ", net weight 27 lbs.

PRODUCTION: Two 4-qt. and two 2 $\frac{1}{2}$ qt. pots. Maintains selected temperature from 100° to 212°.

ELECTRICAL DATA: 800 watts. Nichrome V coil elements. AC only. A plug-in appliance. Rotary switch. Thermostat.

PRICE \$75.00*

*Price does not include Insets



Star 121, 122, 123

FEATURES: Portable plug-in food warmer. "Dial-A-Temp" thermostat permits 5 separate settings. Mfd. by Hotpoint Company.

SIZE: Height to top of backsplash 12-13/16"; width 17-15/16"; depth 20"; net weight 32 lbs.

CAPACITY: Holds up to four quart jars. Over 100 pan and jar combinations can be used with 3 adapter top plates available.

ELECTRICAL DATA: 1.65 KW. Calrod® clamp-on units. Preheats to high in 16 minutes. Signal light. Cord and plug furnished.

PRICE (less adapter, jars shown) \$104.50

Hotpoint HF1
Food Warmer


FEATURES: Counter or floor portable food warmer. Adjustable temperature control, switch, and pilot light. Stainless steel cabinet. Fully insulated. Mfd. by Wells Mfg. Co.

SIZE: Height 12"; width 20 $\frac{1}{2}$ "; depth 15 $\frac{1}{2}$ "; shipping weight approx. 41 lbs.

PRODUCTION: Many round and square top combinations available by using various top plates. Holds up to four #6 $\frac{1}{2}$ (4 qt.) insets.

ELECTRICAL DATA: 880 watts. Dual clamp-on elements. Preheats to HIGH in 10 minutes. Cord and plug furnished.

PRICE Food Warmer \$89.00



Wells M-82

FEATURES: All-metal food warmer to keep foods hot after being dished up. Maintains temperature of food indefinitely. Bright aluminum construction. Mfd. by Edwin L. Wiegand Co.


SIZE: Length 30 $\frac{3}{4}$ "; width 3-11/16"; depth 2 $\frac{5}{8}$ ". Net weight 5 lbs.

CAPACITY: Covers an area 1 $\frac{1}{4}$ ' x 3'.



ELECTRICAL DATA: Rating 120 volts; 750 watts. Wired with 5" of flexible conduit to 4" octagon conduit box with cover. UL approved. Chromalox tubular elements, all-metal.

PRICE \$35.50


Chromalox FW-750



GET EXACTING HEAT
CONTROL WITH
ELECTRIC.

**O'Brien Economy Warmer****Chromalox FW-1050****Chromalox FTL-61**

The use of infra-red equipment for warming and cooking is becoming increasingly popular. Infra-red rays reduce meat shrinkage, save you time and money. And it's a wonderful method for merchandising food.

**Cres-Cor IFW-60****O'Brien 26**

**ELECTRIC CONTROL
CUTS FOOD WASTE.**

FEATURES: Food and plate warmer for above serving counter or post. Has safety guard over heat element. Baked meats, roasts can be kept warm until served. Mfd. by O'Brien Food Service Products.

SIZE: Model 500, length, 24"; ship wt. 7 lbs. Model 750, length, 36"; ship. wt. 9 lbs. Model 1250, length, 48"; ship. wt. 11 lbs.

ELECTRICAL DATA: Plugs into any 110-volt outlet. Unbreakable Black Heat metal. Chromalox element.

FEATURES: All-metal food warmer to keep foods hot after being dished up. Maintains temperature of food indefinitely. Bright aluminum construction. Manufactured by Edwin L. Wiegand Co.

SIZE: Length 46 $\frac{3}{4}$ "; width 3-11/16"; depth 2 $\frac{5}{8}$ ". Net weight 8 lbs.

CAPACITY: Covers an area 1 $\frac{1}{4}$ ' x 4 $\frac{1}{2}$ '.

ELECTRICAL DATA: Rating 1,050 watts, 120 volts. Wired with 5" of flexible conduit to 4" octagon conduit box with cover. UL approved. Chromalox tubular elements, all-metal.

PRICE **\$45.50**

FEATURES: For heating of dry-type food tables. Designed to provide varied temperatures for various foods in compartmented tables. Also suitable for converting steam tables to automatic electric operation. Manufactured by Edwin L. Wiegand Co.

SIZE: Height 3 $\frac{3}{4}$ "; width 5-7/16"; length 15 $\frac{1}{4}$ ".

ELECTRICAL DATA: 500 or 600 W. 115 or 230 volts. Chromalox strip heater. Built-in adjustable thermostat. A plug-in appliance.

PRICE **\$17.60**

ELECTRIC INFRA-RED EQUIPMENT

FEATURES: Flex-o-ray, infra-red food warmer. Portable, clamp mounts. Ball jointed flexible arms, swivel socket, aluminum satin finish. Mfd. by Crescent Metal Products, Inc.

SIZE: Height, 9 $\frac{1}{8}$ "; diameter, 5 $\frac{5}{8}$ "; 3-foot swing on base; weight, 6 lbs.

ELECTRICAL DATA: 250 watts, 110 volts, 60 cycle. Toggle switch. Infra-red heating lamp, white or red lamps.

PRICE **\$21.73**

FEATURES: Infra-red food and plate warmer. Four infra-red lamps. Choice of white or red. Two-way switch permits 2 lamps on and 2 off, or all 4 on. 5,000 hr. guarantee on lamps. Mfd. by O'Brien Food Service Products.

SIZE: Height, 7 $\frac{1}{2}$ "; width, 7 $\frac{1}{2}$ "; length, 26 $\frac{1}{2}$ ". Ship. weight 12 lbs.

ELECTRICAL DATA: 115 volts. Two-way switch. 4-lamp unit.

FEATURES: Stainless steel, infra-red food warmers, using exclusive fused quartz infra-red elements. Designed for controlled heat pattern. Mfd. by Chas. L. Dick Co.

SIZE: Height, 2½"; width, 6"; length, 24", 36", or 48".

ELECTRICAL DATA: 375, 575, or 750 watts.

PRICE **Model 224 (24") \$48.00**
 236 (36") 56.00
 248 (48") 63.00

Special lengths and multiple widths on request.

FEATURES: Infra-red food warmers, pull down or stationary mountings. Pull down units can be moved up and out of way when not in use. Stationary models mounted at any height. Brass, copper, or aluminum satin finish. Mfd. by Crescent Metal Products, Inc.

SIZE: Height, 11"; diameter, 6" or 7½"; pull down cords from 21" to 120"; weight 3 lbs.

ELECTRICAL DATA: 250 watts, 110° volts, 60 cycle. Manual 2 pole turn switch. Infra-red heating element, red or white lamps.

PRICE **\$23.65 to \$47.85**

FEATURES: Shelf model, infra-red food warmer. Can be hung from counter canopy, chain hung from ceiling, or mounted on legs. Aluminum or brass satin finish. Mfd. by Crescent Metal Products, Inc.

SIZE: Height, 2½"; length, 36"; width, 11"; weight, 8¼ lbs.

ELECTRICAL DATA: 500 to 1500 watts, 110 volts, 60 cycle. Manual 2 pole turn switch. Infra-red lamps or Chromalox strips.

PRICE **\$58.85**

FEATURES: Infra-red roaster and barbecue. Clear glass window with light inside. Fully insulated, guaranteed one year. Stainless steel and aluminum finish. Shallow stainless steel pan, skewer, rack included in price. Mfd. by O'Brien Food Service Products.

SIZE: Height, 21"; width, 21½"; depth, 28". Ship. weight 80 lbs.

CAPACITY: 9 chickens, 2 hams, 2 average-size ribs, or 1 large turkey.

ELECTRICAL DATA: 110 or 220 volts, 1,600 watts. Thermostatically controlled 100° to 550° F. Timer—maximum of 5 hrs.


FEATURES: Infra-red rotisserie, complete with 6 bulbs, drip pan. Adjustable for perfect control, can raise or lower bulbs for correct focus. Mfd. by O'Brien Food Service Products.

SIZE: Minimum height, 24"; width, 15"; length, 25". Ship. weight 40 lbs.

CAPACITY: Up to 35 lbs. turkeys, roasts.

ELECTRICAL DATA: 60 cycle, 110 volts, 1,500 watts. Choice of red or white bulbs. Approved by Safety Testing Laboratories.


Chadick Infra-red Food Warmer




Cres-Cor IFW-63PD, IFW-67PD




Cres-Cor IFW-3625



O'Brien RBS




O'Brien Rotisserie Model 1500



**ELECTRIC COOKING
MEANS LOWER
COSTS.**

Patrons prefer toast and willingly pay for perfection. You can serve perfect toast everytime with an economical, automatic electric bread or bun toaster.


Toastmaster Powermatic 1D5



Toastmaster Powermatic 2-1D5-D



Toastmaster Powermatic 4-1D5-D



Toastmaster IBB4 Toaster

**AUTOMATIC
ELECTRIC SAVES
ON LABOR COSTS.**

ELECTRIC TOASTERS

FEATURES: Four-slice model. New Superflex Timer assures uniform toast and compensates for voltage fluctuations. Electric motors lower bread, start it toasting, serve it up fast perfectly toasted. No levers to press. Chrome finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 8¾"; width 11⅞"; depth 11".
Shipping weight 24 lbs.

CAPACITY: 4 slices per minute; 250 slices per hour.

•**ELECTRICAL DATA:** 2.95 K.W. AC, 60 cycle. Nichrome wire element on clear mica.

PRICE **\$134.50**

Prices slightly higher on Pacific Coast

FEATURES: Eight-slice model with duo-stand. Electric motors lower bread automatically and serve it up perfectly toasted. Superflex Timer compensates for voltage fluctuations and times each operation perfectly. Chrome plated finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: (Including stand) Height 18"; width 11½"; depth 21¾". **Shipping weight** 51 lbs.

CAPACITY: 8 slices per minute; 500 slices per hour.

ELECTRICAL DATA: 5.90 KW. AC, 60 cycle. Nichrome wire element.

PRICE **\$278.00**

Prices slightly higher on Pacific Coast

FEATURES: Sixteen-slice model with duo-stand. Superflex Timer compensates for voltage fluctuations and assures uniform toast every time. Chrome plated finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: (Including stand) Height 18"; width 23½"; depth 21¾". **Shipping weight** 106 lbs.

CAPACITY: 16 slices per minute; 1,000 slices per hour.

ELECTRICAL DATA: Rating 11.80 KW. AC, 60 cycle. Nichrome wire element on clear mica.

PRICE **\$556.00**

Prices slightly higher on Pacific Coast

FEATURES: Two-slice bread toaster. Automatic pop-up type. Chromium plate finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 8¾"; width 6¼"; depth 11".
Weight 16 lbs.

CAPACITY: 2 slices per min., 125 per hr.

ELECTRICAL DATA: 1.23 KW. Nichrome wire elements. Plug-in appliance. AC-DC.

PRICE **\$59.50**

Prices slightly higher on Pacific Coast

FEATURES: 4-slot automatic pop-up bun toaster. Chromium plated finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 8¾"; width 11¾"; depth 11". Shipping weight 25 lbs.

CAPACITY: Four half buns per minute, over 250 half buns per hour (125 orders).

ELECTRICAL DATA: Rating 1.43 KW. AC-DC current. Nichrome wire elements.

PRICE **\$114.75**

Prices slightly higher on Pacific Coast

FEATURES: Twelve-slice bread toaster. Automatic pop-up toaster with stand. Chrome plated finish. Mfd. by Toastmaster Products Div., McGraw Electric Co.

SIZE: (Including stand) Height 9½"; width 34½"; depth 11½". Shipping weight 85 lbs.

CAPACITY: 12.5 slices per minute; 750 slices per hour.

ELECTRICAL DATA: 7.35 KW. AC-DC. Nichrome wire element on clear mica.

PRICE **\$353.25**

Prices slightly higher on Pacific Coast

FEATURES: Four-slice model. Automatic pop-up bread toaster. Chromium plated finish. Manufactured by Toastmaster Products Div., McGraw Electric Co.

SIZE: Height 8¾"; width 11¾"; depth 11". Shipping weight 25 lbs.

CAPACITY: 4 slices/min., 250/hour.

ELECTRICAL DATA: 2.45 KW. AC-DC current. Nichrome wire element on clear mica.

PRICE **\$114.75**

Prices slightly higher on Pacific Coast

FEATURES: Automatic conveyor type bread toaster. Stainless steel construction with internal structural elements of aluminized steel. Mfd. by Savory Equipment, Inc.

SIZE: Height 29¾"; width 18¾"; depth 16¾". Net shipping weight 85 lbs.

PRODUCTION: 6 slices per minute. 360 slices per hour.

ELECTRICAL DATA: Rating 2.6 KW. 40 watt motor. Nichrome wire heating elements. Average consumption 1,980 watts. Thermostat.

PRICE **\$255.00**

FEATURES: A counter toasting appliance for hamburger buns, English muffins, etc. A motor operated horizontal conveyor moving under single heating element delivers uniformly toasted buns. Constructed of stainless steel. Mfd. by Savory Equipment, Inc.

SIZE: Height 15½"; width 11½"; depth 22".

PRODUCTION: 4 half buns per minute.

ELECTRICAL DATA: Operates on 110 volt 60 cycle current. 1500 watts at full load.

PRICE **\$100.00**


FEATURES: Combination bread and bun toaster. Stainless steel construction with aluminized steel internal structural elements. Manufactured by Savory Equipment, Inc.

SIZE: Height 29¾"; width 18¾"; depth 16¾"; net shipping weight 85 lbs.

PRODUCTION: 6-9 half buns per minute or 6 slices of toast per minute.



ELECTRICAL DATA: 2.6 KW. for bread, 2 KW. for buns. Switch for quick change. Nichrome wire elements. Thermostatic control.

PRICE **\$270.00**



Toastmaster 1D2-B (Buns)

Toastmaster 3-1D2-S




Toastmaster 1D2 Toaster

Savory CT2




Rotobun Toaster



Savory CTB2




ELECTRIC
EQUIPMENT LASTS
TWICE AS LONG.



Savory CTB4



Savory CT4



Toastswell Superspeed ABT-4

FEATURES: Combination bun and bread toaster. Stainless steel construction with aluminized steel internal structural elements. Manufactured by Savory Equipment, Inc.

SIZE: Height 29 $\frac{3}{8}$ "; width 23 $\frac{1}{8}$ "; depth 16 $\frac{1}{8}$ "; net shipping weight 100 lbs.

PRODUCTION: 12 half buns or 9-12 slices of toast per minute.

ELECTRICAL DATA: 3.6 KW. for bread, 2.6 KW. for buns. Switch for quick change. Nichrome wire elements. Thermostatic control.

PRICE **\$309.00**

FEATURES: Automatic conveyor-type bread toaster. Stainless steel construction with internal structural elements of aluminized steel. Mfd. by Savory Equipment, Inc.

SIZE: Height 29 $\frac{3}{8}$ "; width 23 $\frac{1}{8}$ "; depth 16 $\frac{1}{8}$ ". Net shipping weight 100 lbs.

PRODUCTION: 9 to 12 slices per minute. 540 to 720 slices per hour depending on size of bread.

ELECTRICAL DATA: Rating 3.6 KW. 40 watt motor. Nichrome wire heating elements. Thermostat.

PRICE **\$294.00**

FEATURES: Bread or bun toaster. $\frac{1}{3}$ faster. Automatic quiet clock plus thermostat control. Perfect toast every time without re-setting. High lift bread basket. Bun toaster same price. Mfd. by Toastswell Co.


SIZE: Height, 9 $\frac{1}{2}$ "; width, 13 $\frac{3}{4}$ "; depth, 10". Ship. weight 27 lbs.

CAPACITY: 4 slices. 270 slices per hour.

ELECTRICAL DATA: 2.3 KW. 110 or 220 volts, AC or DC. Nickel-chrome heating element. UL and CSA approved.

PRICE **\$92.00**

Good coffee everytime is assured with these electric coffee brewers and urns. You'll serve the "Best cup of coffee in town" everyday with these profit-building, automatic appliances.



Best Pour O Matic 5,000-E

HIGH QUALITY AT
LOW COST WITH
ELECTRIC.

ELECTRIC COFFEE BREWERS

FEATURES: Semi-automatic, push button performance. Only 2 manual operations: 1. Place extractor with ground coffee in well; 2. Pour in water. Brews coffee by drip method. Highly polished stainless steel exterior. Sanitary one-piece seamless stainless steel (18-8, Type 302) shallow rectangular coffee chambers with all rounded corners. Heavy gauge copper water chamber. Uses cloth or paper filters. Fully insulated. Mfd. by Best Products Co.

SIZE: Height 26 $\frac{1}{2}$ "; (working height 17 $\frac{1}{2}$ "); width 34 $\frac{1}{8}$ "; depth 19 $\frac{1}{2}$ ". Weight 130 lbs. Twin 3-gallon coffee chambers, 8-gallon water chamber.

ELECTRICAL DATA: Equipped with 6KW immersion heating element. Normally operates 220 volts, 60 cycle single phase A.C. Can be furnished for other voltages.

FEATURES: Complete automatic push-button coffee brewer. Automatic water chamber refill. Fully insulated. Low working height. Polished stainless steel exterior and lids. Sanitary one-piece stainless steel, 18-8 type 302. Shallow rectangular coffee chambers with all rounded corners. Equipped with $\frac{1}{2}$ volume switch. Manufactured by Best Products Co.

SIZE: Height 26 $\frac{1}{2}$ "; (working height 17 $\frac{1}{2}$ "); width 34 $\frac{1}{8}$ "; depth 19 $\frac{1}{2}$ ". Weight 146 lbs. Twin 3-gallon coffee chambers, 8-gallon water chamber. Also can be furnished in twin 6 gal. and twin 10 gal.

PRODUCTION: 12 to 15 gallons per hour.

ELECTRICAL DATA: 6 KW. Normally furnished for 220 volt 60 cycle AC single phase. Can be furnished for other voltages. AC only. Toggle switch and push buttons. Thermostatic control. A plug-in appliance (range plug outlet). Immersion heating elements.

FEATURES: Fully automatic coffee maker. At button start, it measures charge of coffee from 5 lb. reservoir; brews it; cleans itself of all grounds. Operable every three minutes. Uses stainless steel filter only. Three glass serving decanters included. A Hill-Shaw Co. product.

SIZE: Height 37 $\frac{1}{2}$ "; width 25 $\frac{1}{4}$ "; depth 18 $\frac{1}{2}$ ".

PRODUCTION: Uniform flavor for $\frac{1}{2}$ -gal. to 10 gals. brewed per hour.

ELECTRICAL DATA: Rating 4,475 watts; 115-230 volts, 3-wire, single phase, 60 cycle. AC only.

PRICE **\$750.00**

FEATURES: Portable, plug-in coffee or tea urn. Completely welded. Stainless steel. Can be filled through filler opening near top. Immersion type heating element. Mfd. by S. Blickman, Inc.

SIZE: 3 gal. Height, 24 $\frac{3}{4}$ "; width 15"; depth, 15"; net weight, 28 lbs. Available in 5-gal. size and with tri-saver stainless filter.

CAPACITY: 40 to 60 cups per hr.

ELECTRICAL DATA: 2000 watts for 110 volts; 2500 watts for 220 volts. On-off switch, thermostat.

PRICE **\$207.00**

FEATURES: Coffee urn with glass leacher and all-glass interior. Brushed Monel finish. Manufactured by Amcoin Corp.

SIZE: 4-gal. urn: height 36"; diameter 16". Available in 2 and 8 gal. capacity.

ELECTRICAL DATA: 4-gal. unit, 6 KW. Immersion type elements. Sealed electric pressure controls and relay. Also available for double service.

PRICE

(2-gallon)	\$490.00
(4-gallon)	\$560.00
(8-gallon)	\$695.00

FEATURES: Instant water heater. Keeps water at correct brewing temperature for instant coffee, tea, etc. Fully automatic. Satin-finished jacket. Mfd. by The Silex Co.



SIZE: Height 15"; base 1 $\frac{1}{2}$ " D.; tank 4 $\frac{1}{2}$ " D.; net weight 12 lbs.

CAPACITY: 100 cups per hour.


ELECTRICAL DATA: 115 volts, AC. Thermostat; indicator light is off only when water temperature has reached setting.

PRICE **\$88.50**


Best Automatic Coffee Maker
10,000-E



Vaculator VAC100



Sealweld Junior SWJr-35




Amcoin Boileret Lowboy

Silex IWH




THE BEST CUP OF
COFFEE IS BREWED
ELECTRICALLY.



Amcoin Lowboy Combination

Urn O Matic



E-Z Way 4B

Alpha Instantaneous 104



Perfex 3 Gallon

NO PIPES,
NO VENTS,
NO REMODELING
FOR ELECTRIC.

FEATURES: Coffee urn combination with creamer tank and faucets. Accurately timed. Automatic water boiler and spray in cover. All glass interior. Automatic agitation, vacuum proof safety valve. Mfd. by Amcoin Corp.

SIZE: 4-gal. unit; height to top of safety valve 40"; width (body) 18", (overall) 27"; depth (overall) 24"; faucets to stand 11".

ELECTRICAL DATA: 4-gal unit, 6 KW; 8-gal., 7 KW. Immersion type elements. Sealed electric pressure controls and relay. Thermostat. Low water cut outs.

PRICE (4-gallon) \$1,070.00
(8-gallon) \$1,160.00

FEATURES: Automatic push-button coffee urn. Stainless steel finish. Completely insulated. Automatic shut-off of brewing cycle and refill of water chamber. Hot water for tea or hot chocolate may be drawn off before, during or after the brewing cycle. Mfd. by Gold Prize Coffee Co., Inc.

SIZE: Height 29½"; width 27½"; depth 22".

PRODUCTION: 18-20 gals. per hour (400 cups).

ELECTRICAL DATA: Rating 5,000 watts. 220 volts. Submerged chromalox element.

PRICE (Twin 3 Gallon) \$670.50

FEATURES: Coffeemaker. Automatic push-button operation for dispensing a decanter in less than 30 seconds. Also button for cup service and one for hot water. Separate spigots for coffee and hot water. Uses liquid or frozen concentrate. Mfd. by Steel Products Co.

SIZE: Height, 27"; width, 13½"; depth, 18".

Weight, baked enamel 33 lbs.; stainless 40 lbs.

CAPACITY: 100 cups per hour on cold water line, 400 cups on hot water line.

ELECTRICAL DATA: 1.5 KW, 115 volts, 60 cycle. Toggle master switch. Immersion type heating element. Automatic temperature control 160° to 210° F. UL approved.

PRICE Baked enamel finish \$260.00
Stainless steel \$295.00

FEATURES: Coffee, tea, hot water maker. Connects directly with cold water line producing hot water instantly. No heat recovery period. Not affected by hard water or impurities. 2 double-warmer units and coffee cartridge included. Mfd. by Lyons-Alpha Products Co., Inc.

SIZE: Height, 17"; width, 10½"; depth, 14".

Net weight 23 lbs.

CAPACITY: 240 cups coffee, 360 cups water per hour.

ELECTRICAL DATA: 4.45 KW. Automatic and hand switches. Carbon core and ribs heating element. 220 volts.

PRICE F.O.B. New York, N. Y. \$335.00

FEATURES: Automatic siphon-type coffee urn. Black porcelain enamel or stainless steel. No coffee bags required. Completely insulated. Mfd. by Franklin Products Corp.

SIZE: Height 40¼"; diameter 14¾". Net weight 130 lbs.

PRODUCTION: Three gallon coffee capacity; five gallon water capacity.

ELECTRICAL DATA: Rating 3.5 KW. Immersion type elements. Combination thermostat and on-off switch with pilot light.

PRICE \$387.50 and up

FEATURES: Automatic siphon-type coffee urn. Black porcelain enamel or stainless steel finish. No coffee bags required. Completely insulated. Mfd. by Franklin Products Corp.

SIZE: Height 47"; diameter 17-5/12". Net weight 180 lbs.

PRODUCTION: Five gallons coffee capacity, 8 gallons water capacity.

ELECTRICAL DATA: Rating 5 KW. Immersion type elements. AC or DC. Combination thermostat with on-off switch, pilot light.

PRICE **\$535.00 and up**

FEATURES: Coffeemaker. Automatic push-button dispenses cup of coffee. Additional button for hot water. Separate spigots for coffee and water. Uses liquid or frozen coffee concentrate. Stainless steel or baked enamel finish. Mfd. by Steel Products Co.

SIZE: Height, 24"; width, 13 1/2"; depth, 18". Weight, stainless 38 lbs.; baked enamel 28 lbs.

CAPACITY: 100 cups of coffee per hour on cold water line, 400 cups on hot water line.

ELECTRICAL DATA: 1.5 KW, 115 volts, 60 cycle. Toggle master switch. Immersion type heating element. Automatic temperature control 160° to 210° F. UL approved.

PRICE **Stainless steel finish \$285.00**
Baked enamel \$249.50

FEATURES: Square five gallon twin non-pressure heavy duty coffee urn. Stainless steel body. One piece deep drawn square stainless steel liners. Wyott faucets. Removable clean-out plate. Lime De Scaler. Burn out proof bottom. Mfd. by Seco Co., Inc.

SIZE: (5 gallon net each liner) Height 32"; width, 14"; length, 26 3/4". Ship. wt. 90 lbs.

CAPACITY: 10 1/2 gal. draw-off water capacity, 3 gal. reserve; 14 gal. total.

ELECTRICAL DATA: Rating 5 KW. Built-in immersion heater. Thermostatic switch.

PRICE **\$489.45**

FEATURES: New low height for ease in operation. Fiber glass insulated stainless steel body. Safety automatic thermostatic control prevents low-water burn out. Liners of stainless steel. Mfd. by American Metal Ware Co.

SIZE: Twin 3-gal: Height 23 1/4"; width 33 1/2"; Twin 5-gal.: Height 25"; width 38".

PRODUCTION: Twin 3 (6-gal. coffee—12 gal. water); Twin 5 (10-gal. coffee—21-gal. water).

ELECTRICAL DATA: 230 volt; 5,000 and 6,000 watts. Immersion type Chromalox heating units. Robertshaw thermostat with special safety reset push button.

FEATURES Coffeemaker using liquid concentrate. Dispenses concentrate, hot water for each cup as needed. Can be manually filled or connected to a water line. Polished stainless steel finish. Mfd. by Steel Products Co.


SIZE: Height, 27"; width, 12"; depth, 20". Net weight 27 lbs.

CAPACITY: 100 cups of coffee per hour on cold water line, 400 cups on hot water line.


ELECTRICAL DATA: 1.5 KW, 115 volts, 60 cycle. Toggle on-off switch. Immersion type heating element. Automatic temperature control 160° to 210° F. UL approved.

PRICE **\$175.25**


Perfex 5 Gallon




E-Z Way 4SDA



Seco TU-5ET



American Beauty Lo-Bilt



E-Z Way 500A



**ELECTRIC CONTROLS
ELIMINATE
GUESSWORK.**

Vaculator VAC-50 Brewmatic





Cory 247H

Cory 437HW



Cory C100

Cory C500H



Cory Coffee Grinder CCG

NO MATCHES,
NO PILOT,
NO PUFF-OUTS
WITH ELECTRIC.

ELECTRIC COFFEE BREWERS

FEATURES: Automatic coffee maker. Complete with water strainer, 2 coffee containers, 3 decanters. Plugs in. Stainless steel finish. Mfd. by Hill-Shaw Co.

SIZE: Height, 22½"; width, 11"; depth, 19½". Net weight 45 lbs.

CAPACITY: 5 gal. per hour.

ELECTRICAL DATA: Plug-in. 110 volts, AC. 1.6 KW. UL approved.

PRICE **\$337.50**

FEATURES: Two-unit coffee maker. Compactly designed for installation in small space. Stainless steel finish. Mfd. by Cory Corp.

SIZE: Height, 22¼"; width, 15"; depth, 10". Net wt. 18 lbs.

ELECTRICAL DATA: Rating 1070 watts. 115 V. Rotary switches. A plug-in appliance.

PRICE **\$65.70**

FEATURES: Four unit coffee maker. Polished chrome finish. Mfd. by Cory Corp.

SIZE: Height, 22¼"; width, 15½"; depth, 19". Net wt. 18 lbs. range only.

PRODUCTION: 180 cups per hr.

ELECTRICAL DATA: 2 Hi-Lo top efficiency burners (535-100 watts); 2 Lo-Medium brick burners with cover (160-125 watts). 115 volts, AC only.

PRICE **\$114.20**

FEATURES: Electronic automatic coffee brewing system. Push button operation. Stainless steel chassis. Mfd. by Cory Corp.

SIZE: Height, 23½"; width, 9"; depth, 21". Ship. wt. 55 lbs.

PRODUCTION: 10 gal. per hr.

ELECTRICAL DATA: 4 KW, 115, 208, or 230 volts, AC. 25 amp fuses or circuit breakers. Water connection ¼ OD copper tubing with ¼" female S. A. E. flare fitting.

PRICE **\$375.00**

FEATURES: Electronic automatic coffee brewer. Stainless steel chassis, cartridge rack and screen filters. Five serving decanters and one extra glass bowl included. Operates on water line of any standard pressure. Adjustable base. Mfd. by Cory Corp.

SIZE: Height, 22"; width, 27"; depth, 21". Ship. wt. 83 lbs.

PRODUCTION: 10 gal. per hr.

ELECTRICAL DATA: Rating, maximum load 5,000 watts, 115, 208, or 230 volts, AC only. Rotary switch. Thermostat.

PRICE **\$495.00**

FEATURES: Automatically grinds coffee with exact measure. Push-button conveniences with reset control. Chrome panels, stainless steel finish. Mfd. by Cory Corp.

SIZE: Height, 21¾"; width, 8¾"; depth, 15½". Ship. wt. 55 lbs.

PRODUCTION: Holds 6 lbs. coffee; grinds three ounces in 10 seconds.

ELECTRICAL DATA: Motor ⅓ H.P. Micro switch. 115 volts, AC, 60 cycle. A plug-in appliance.

PRICE **\$199.50**

ELECTRIC COFFEE RANGES

FEATURES: Four-unit glass coffee maker range. Brewing and medium and low warming heats on all units. Can be used with all makes coffee makers. Luster polish stainless steel body. A Hill-Shaw Co. product.

SIZE: Height 9"; width 15½"; depth 16"; net weight 16 lbs.

ELECTRICAL DATA: Rating 2,140 watts. "Snap-in" type elements. Flush mounted 3-heat rotary switches. Plug-in appliance.

PRICE **\$91.00**

FEATURES: Four unit terrace coffee maker range. Elements can be removed for maintenance and cleaning by a simple 1/6th twist. Manufactured by The Silex Co.

SIZE: Height 6½"; width 16"; depth 18". Weight 16 lbs.

PRODUCTION: 175 or more cups per hour.

ELECTRICAL DATA: Rating 2,140 watts. Enclosed elements. Hi-Med-Lo 3-heat rotary switches. Available for 115/208-230 volt AC, DC extra cost.

PRICE **118 volts AC** **\$89.00**

FEATURES: Three-unit in-line coffee maker range. Elements can be removed for maintenance and cleaning by a simple 1/6th twist. Stainless steel body. Mfd. by The Silex Co.

SIZE: Height 4½"; width 23"; depth 10½"; net weight 10½ lbs.

PRODUCTION: Approx. 125 cups per hour.

ELECTRICAL DATA: 118 or 230 volts. Enclosed elements. Hi-Med-Lo 3-heat rotary switches. Available for 115/208-230 volt AC, DC extra cost.

PRICE **118 volts AC** **\$61.00**

FEATURES: Two unit in-line coffee maker range. Stainless steel body. Elements can be removed for maintenance and cleaning by a simple 1/6th twist. Mfd. by The Silex Co.

SIZE: Height 4½"; width 16"; depth 10½". Weight 7 lbs.

PRODUCTION: 72 cups or more per hour.


ELECTRICAL DATA: Rating 1,070 watts. Enclosed elements. Hi-Med-Lo 3-heat rotary switches. Available for 115/208-230 volt AC, DC extra cost.

PRICE **118 volts AC** **\$42.00**

For easy and fast cleaning and maintenance use an electric coffee range. It takes up little of your profit-making counter space, and, because it's electric, it has accurate temperature control.



Vaculator E22A



Silex FET-4



Silex FE-3




Silex FE-2

THE MODERN WAY
IS THE
ELECTRIC WAY.


Golden brown waffles are quickly and profitably turned out by an automatic electric waffle baker. And the menu possibilities for this popular item are unlimited.

**Hotpoint HY1
Waffle Baker**



Wells L

Toastmaster 2E2



Griswold N3112

ELECTRIC COOKING
IS FASTER.

ELECTRIC WAFFLE BAKERS

FEATURES: Twin automatic waffle baker. Cast-aluminum, silicone-coated grids. Floating hinges. Spillover trough, telescopic "batter-seal." Lustrous, non-tarnishing chrome-plated steel finish. Manufactured by Hotpoint Co.

SIZE: Height to top of backplasher 12-13/16"; width 17-15/16"; depth 20"; net weight 32 lbs.

PRODUCTION: Two 6" waffles per batch.

ELECTRICAL DATA: 1.65 KW. Calrod elements. Hotpoint-built hydraulic thermostat. Cord and plug furnished. Signal lights.

PRICE **\$135.50**

FEATURES: Automatic waffle baker. Wells-Kote grids. Glistening chrome finish. Detachable metal drip trays. Strong construction. Bell timers. Mfd. by Wells Manufacturing Co.

SIZE: Double, closed height 8 1/2"; width 20"; depth 13 1/2"; shipping weight 38 lbs.

PRODUCTION: Bakes 2 standard 7" waffles.

ELECTRICAL DATA: 1,650 watts. Automatic precision temperature control. AC or DC. Signal lights. Plug-in appliance.

PRICE **Single \$64.00**
Double \$115.00

FEATURES: Twin automatic waffle baker. Aluminum interlocking grids. Chromium plating. Manufactured by Toastmaster Products Division, McGraw Electric Co.

SIZE: Height (closed) 7 1/2", (open) 19"; width 20"; depth 14 1/2"; shipping weight 31 lbs.

PRODUCTION: 7" waffles; 25-30/hr.

ELECTRICAL DATA: 1.65 KW. AC or DC. Automatic preheat. Plug-in appliance.

PRICE **\$119.50**

Prices slightly higher on Pacific Coast

FEATURES: Automatic double unit rectangular waffle baker. High polish chrome finish. Timer. Mfd. by Griswold Mfg. Co.

SIZE: Height 11"; width 11 1/8"; depth 13 1/8". Net weight 30 lbs.

PRODUCTION: Approximately 40 waffles 3 3/4" x 9" per hour.

ELECTRICAL DATA: Rating 1,500 watts. Nichrome coil elements. Off-on switch. Thermostat. A plug-in appliance. Signal lights.

PRICE **\$131.25**

ELECTRIC FOUNTAIN AND DISPENSING

FEATURES: Fudge warmer. Dispenses hot sauces with portion control. Stainless steel lever action, adjustable pump. Serves direct from No. 10 tin. Bowls also available. Mfd. by Helmco, Inc.

SIZE: Height with pump 14½"; diameter, 11½"; ship. weight 11½ lbs

ELECTRICAL DATA: Rating 350 watts. Dial-A-Heat automatic thermostat control. Guaranteed. UL approved.

PRICE (less bowl) \$64.50

FEATURES: For freezing and dispensing of high and low butterfat, soft-serve products, sherbets and milk shakes. 2 one-gallon freezing cylinders, 2 four-gallon refrigerated mix storage tanks. Stainless steel front and top. White baked enamel sides. Hands-free controls. Mfd. by Sweden Freezer Mfg. Co.

SIZE: Height 52"; width 29½"; depth 26½". Weight 850 lbs. (crated).

PRODUCTION: 10 gals. soft-serve product each cylinder per hour or 18 gals. of milk shakes each cylinder per hour.

ELECTRICAL DATA: 2 — 1 H.P. dasher motors, 2 — ¾ H.P. condensing units. Foot switch control.

FEATURES: Multiple drink mixer. Spindles, exterior of stainless steel. Baked enamel frame in wide color range and chrome. Mfd. by Prince Castle Mfg. Div., Inc.

SIZE: Height, 19"; width, 14"; depth, 12". Net weight 46 lbs.

ELECTRICAL DATA: ½ H.P. motor, guaranteed for 5 years. No brushes or commutator. Plug-in appliance.

PRICE 9-B-5 5-spindle, color \$136.00

9-B-5C 5-spindle, chrome \$161.00

9-B-3 3-spindle, color \$ 99.75

9-B-3C 3-spindle, chrome \$136.00

Malted milk dispenser, Model A \$.24.50

FEATURES: Triple drink mixer. 3 separate power and speed controls. 4-fold aeration. Cast iron porcelain finish base. Stainless steel spindles. Mfd. by Hamilton Beach Co.

WEIGHT: 48 lbs.

CAPACITY: Heavy, medium, light and ice drinks. Each container holds up to 5 oz. milk and 12 oz. ice cream.

ELECTRICAL DATA: 3 motors, ballbearing, life lubricated. 3 heavy-duty rotary speed control switches. AC-DC. Plug-in appliance.

PRICE \$104.50

To speed fountain service choose your equipment from these attractive prices of electric fountain and dispensing equipment. They will give you dependable, efficient operation.



Helmco DFPW-96



Sweden 1-231



Multimixer 9-B-5, 9-B-3



Hamilton Beach 40

CUT COSTS AND
BUILD PROFITS —
ELECTRICALLY.


Hamilton Beach 30



Helmco DLCA-6



Amcoin Duet Chocolate and Iced Tea Urn



Speedster HC3-A

Helmco DLCA-12



Perfect Egg Boiler



CONSISTENT HIGH
QUALITY FOOD
WITH ELECTRIC.

FEATURES: Drink mixer with 4-fold aeration. Blades fold in amount of air for correct texture. Automatic one-hand operation. Mfd. by Hamilton Beach Co.

SIZE: Height 18 $\frac{5}{8}$ "; width 6-7/16"; depth 8 $\frac{1}{4}$ ". Weight 20 lbs.

CAPACITY: For drinks ranging from medium heavy to extra heavy. Holds up to 5 oz. milk and 12 oz. ice cream.

ELECTRICAL DATA: Approximately 18,000 rpm. motor. A plug-in appliance.

PRICE \$42.50

FEATURES: Automatic hot chocolate dispenser. Makes, serves hot chocolate as fast as coffee. Stainless steel, including bowl. Automatic motor agitation. Wig-wag sign. Mfd. by Helmco, Inc.

SIZE: Height with sign, 26"; diameter, 12"; ship. weight 24 lbs.

CAPACITY: 1 $\frac{1}{2}$ Gals. 30 6-oz. cups.

ELECTRICAL DATA: Rating 500 watts. Automatic thermostat control. On-off motor switch. Guaranteed. UL approved.

PRICE \$119.50

FEATURES: Hot chocolate making-and-dispensing urn that converts to automatic iced tea urn. All glass interior. Automatic agitation. Manufactured by Amcoin Corp.

SIZE: Height 23"; diameter 12 $\frac{1}{2}$ "; shipping weight 87 lbs.

PRODUCTION: (per hour) Approx. 12 gals. of hot chocolate; 20 gals. of iced tea.

ELECTRICAL DATA: 1,650 watts. Also 220-230 volts at 3,000 watts (\$10 extra). Immersion elements, toggle switch, thermostat, plug-in appliance.

PRICE Chocolate with compressor \$485.00
Tea \$375.00

FEATURES: Hot chocolate dispenser. Full-Flo motor driven agitator. Stainless steel body and container. Mfd. by Miller & Carrell Mfg. Co.

SIZE: Ship. weight 35 lbs.

CAPACITY: 3 gal.

ELECTRICAL DATA: 750 watts. 115 or 230 volts, AC only. Bowl band heating element.

PRICE \$187.54

FEATURES: Makes, heats, dispenses hot chocolate in volume. Stainless steel automatic agitation. Animated wig-wag sign. Mfd. by Helmco, Inc.

SIZE: Height with sign, 28"; diameter, 12". Ship. weight, 26 lbs.

CAPACITY: 3 gal. 60 6-oz. servings.

ELECTRICAL DATA: 800 watts. Dial-A-Heat automatic thermostat. On-off motor switch. Guaranteed. UL approved.

PRICE \$154.50

FEATURES: "Streamline" double unit egg-boiler for quick service. Completely automatic. Stainless steel jacketed. One-piece tank. Mfd. by Perfect Automatic Egg-Timer & Mfg. Co.

SIZE: Height 31 $\frac{1}{4}$ "; width 8 $\frac{3}{8}$ "; length 14 $\frac{1}{4}$ "; net weight 30 lbs.

PRODUCTION: 12 eggs per operation.

ELECTRICAL DATA: For power line, 2 KW. For plug-in, 1.1 KW. 3-heat switch. Safety-Thermal cut-out furnished. Larger and smaller sizes available. U/L and CSA approved.

FEATURES: Bulk milk dispenser. Stainless steel inside and out. Built in drip shelf. Mfd. by United Refrigerator Co.

SIZE: Height, 39½"; width, 17"; depth, 16". Net weight 140 lbs.

CAPACITY: One 3- or 5-gal. can.

ELECTRICAL DATA: 185 watts, 110-115 volts, 60 cycle, AC. ⅛ H.P. Tecumseh sealed motor. Plug in appliance. Thermostat 32 to 40°.

PRICE **\$195.00**

United TT-5



FEATURES: Bulk milk dispenser. Door in rear for back-loading. Bracket for multimixer on front. Stainless steel finish. 1½" to 2" fiber-glass insulation in all walls and door. Mfd. by United Refrigerator Co.

SIZE: Height, 39½"; width, 27"; depth, 16". Net weight 180 lbs.

CAPACITY: Two 3- or 5-gal. cans.

ELECTRICAL DATA: 185 watts, 110-115 volts, 60 cycle, AC. ⅛ H.P. Tecumseh sealed motor. Plug in appliance. Thermostatic control dial set 32 to 40°.

PRICE **With multimixer bracket \$270.00**
Without bracket \$250.00

United MB-10-M



FEATURES: Floor model, automatic self-service portion control (manual or coin.) Milk capacity 10 or 20 gals. Stainless steel. Counter models also available. Adaptable for dispensing juices, syrups and combinations of milk and syrup. Mfd. by Meterflo Dispensers.

SIZE: Height, 50½"; width, 31⅞"; depth, 18". Net weight 250 lbs.

PRODUCTION: Dispenses 2 to 4 ozs. per second.

ELECTRICAL DATA: 1/6 H.P. compressor motor. Three-wire, plug-in appliance. 300 watts.

PRICE **Models priced from \$500.00 up**

D2-5/10F2 Milk Dispenser



FEATURES: Bulk milk dispenser. Holds 3 cans. Stainless steel inside and out. Mfd. by United Refrigerator Co.


SIZE: Height, 39½"; width, 37"; depth, 16". Net weight 180 lbs.

CAPACITY: Three 3- or 5-gal. cans.

ELECTRICAL DATA: 185 watts, 110-115 volts, 60 cycle, AC. ⅛ H.P. Tecumseh sealed motor. Plug in appliance. Thermostat 32 to 40°.

PRICE **\$240.00**

United TT-15



FEATURES: Bulk milk dispenser. Dispenses milk from cans, cream from stainless can in door. Stainless steel inside, out. Sides, back, top fully coiled with copper tubing. Mfd. by United Refrigerator Co.


SIZE: Height, 41" with legs, 38" without; width, 25¼"; depth, 11½" at base, 14½" front to back, legs. Net weight 155 lbs.

CAPACITY: Two 5- or 3-gal. cans milk, 1 gal. cream.

ELECTRICAL DATA: 185 watts, 110-115 volts, 60 cycle, AC. Tecumseh sealed motor. Plug in appliance.

PRICE
With Creamador (as illustrated) \$254.00
Without Creamador \$205.00

United UMC-106 Deluxe



**ELECTRIC COSTS
NO MORE TO OWN.**

Super Manhattan N-10



FEATURES: Milk dispenser. All stainless steel interior with radius corners. $\frac{1}{2}$ " increased door insulation, interior tube locking device, contour vinyl door gasket. Two-piece valve. Mfd. by Norris Dispensers, Inc.

SIZE: Height, 39 $\frac{3}{4}$ "; width, 25 $\frac{1}{4}$ "; depth, 17 $\frac{1}{8}$ ". Ship. weight 185 lbs.

CAPACITY: Two 5-gal. containers.

ELECTRICAL DATA: 1/6 H.P. sealed, self-lubricating silent refrigeration unit.



Heinz Utility Soup Kitchen

FEATURES: Compact three-shelf soup kitchen for quick heating of Heinz individual ready-to-serve soups. Holds 49 cans of soup. Equipped with one hot cup, two electric timers and one magnetic can opener.

SIZE: Height 15" (without sign); width 19 $\frac{1}{2}$ "; depth 9".


PRODUCTION: Heats one can of soup in two minutes.

ELECTRICAL DATA: One hot cup 600 watts.

PRICE

\$25.95

Campbell Soup Kitchen Model A-2



FEATURES: Hot cups for heating ready-to-serve soups. Two individually operated electric timers. Automatic signal buzzers. Stainless steel patented can opener with magnetic pick-up for can top. Mfd. for Campbell Soup Co., Restaurant Div.

SIZE: Height 10 $\frac{1}{2}$ "; width 13 $\frac{1}{2}$ "; depth 12 $\frac{3}{8}$ ".

PRODUCTION: 2-cup cap., 2-min. service.

ELECTRICAL DATA: 600 watts. AC or DC. A plug-in appliance.

PRICE

Model A-2 Kitchen \$39.10
Can opener and hot cups extra.



Helmco DLK-2T

FEATURES: All-purpose short order kitchen for counter service. Heats, serves soups, foods, drinks, etc. 2-min. service. Stainless steel. Mfd. by Helmco, Inc.

SIZE: Height, 8 $\frac{1}{2}$ "; width, 11"; depth, 10"; ship. weight 7 $\frac{1}{2}$ lbs.

ELECTRICAL DATA: Rating 1400 watts. Two 10-min. timers with automatic signal cut-off control. Guaranteed. UL approved.

PRICE (less hot cups)

\$39.50

Heinz President Soup Kitchen



FEATURES: Fiberglass front with 8 chutes. Capacity 72 cans of Heinz ready-to-serve soups. Unique loading feature permits another tin to drop when one is withdrawn. Equipped with one hot cup, two electric timers and one magnetic can opener.

SIZE: Height 31"; width 25 $\frac{1}{2}$ "; depth 11".

PRODUCTION: Heats one can of soup in two minutes.

PRICE

\$46.45



Heinz Hot Plate Lunch Kitchen

FEATURES: Metal construction with fiberglass front. Capacity 72 cans of Heinz ready-to-serve hot lunches. New tin drops in place each time a tin is used. Equipped with one hot pan, two electric timers and one magnetic can opener.

SIZE: Height 31"; width 25 $\frac{1}{2}$ "; depth 18 $\frac{1}{2}$ ".

PRODUCTION: Heats one can of hot lunch in two minutes.

PRICE

\$49.95

HIGH QUALITY
AT LOW COST
WITH ELECTRIC.

FEATURES: Semi-automatic operation using portion controlled packages. Batter ready for grill in five seconds. Set timer, bell signals when pancakes are ready. Baked enamel finish. Mfd. by Quaker Oats Co.

SIZE: Height 26"; width 22"; depth 15". Cast aluminum griddle 14" x 22". Net wt. 45 lbs.

PRODUCTION: 2 orders of 3 pancakes each every three minutes.

ELECTRICAL DATA: Mixing motor 40 watt, 110 volt, 60 cycle AC. 3500 RPM. Heating elements 6-275 watt Chromalox discs. Thermostatic control with snap switch and neon pilot light.

PRICE **\$99.50**

FEATURES: Automatic heating, storage, dispensing of cups and saucers. Stainless steel finish. All swivel casters or adjustable ball feet. Manufactured by Lowerator Division, American Machine & Foundry Company.

SIZE: Height 36"; length 35"; width 26½"; net weight 400 lbs.

CAPACITY: To 12 doz. cups; 12 doz. saucers.

ELECTRICAL DATA: 1,600 watts. Centrifugal blower (100 CFM) motor. Recessed stainless steel box houses on-off switch, pilot light and male twist lock plug. Adjustable (100° to 200° F.) thermostat. Plug-in appliance. UL approved.

PRICE **\$900.00**

FEATURES: Automatic heating, storage, dispensing of plates. Stainless steel finish. All swivel casters or adjustable ball feet. Manufactured by Lowerator Division, American Machine & Foundry Company.

SIZE: Height 36"; length 23" to 33"; width 13" to 18"; net weight, 140 lbs.

CAPACITY: To 12 dozen plates; to 6 dozen bowls or bouillon cups.

ELECTRICAL DATA: 795 watts. Strip heaters. Recessed stainless steel box houses on-off switch, pilot light and male twist lock plug. Adjustable (100° to 200° F.) thermostat. Plug-in appliance. UL approved.

PRICE **\$538.00 to \$780.00**

FEATURES: Automatic dispensing, heating, storage of dishes, bowls, bouillon cups. Stainless steel finish. All swivel casters, or adjustable ball feet or legs. Mfd. by Lowerator Div., American Machine & Foundry Co.

SIZE: Height, 34" or 36"; length, 20" to 33"; width, 20" to 33".

CAPACITY: 28 doz. dishes; 12 doz. bowls or bouillon cups.

ELECTRICAL DATA: 1060-watt heating system. Adjustable thermostat, 100° to 200° F. Recessed switch box includes on-off switch, pilot light, male twist lock plug. 3-foot, rubber-jacketed type S cord. 110 or 220 volts, 60 cycle, single-phase, AC. UL approved.

PRICE **\$796.00 to \$1,150.00**

FEATURES: Automatic dispensing, heating, storage of dishes, bowls, cups, bouillon cups. Standard or custom-built. Mfd. by Lowerator Div., American Machine & Foundry Co.


SIZE: Height, 29" or 31"; length, 20½" to 33"; width, 11½" to 18".

CAPACITY: 12 doz. dishes; 6 doz. bowls; 12 doz. cups; 12 doz. bouillon cups.

ELECTRICAL DATA: 795-watt heating system. Adjustable thermostat, 100° to 200° F. Electrical junction box. 110 or 220 volts, 60 cycle, single-phase, AC. UL approved.



PRICE **\$356.00 to \$597.00**

**Aunt Jemima Pancake Machine
No. PG706B**



AMF Lowerator Model CHS-SS

AMF Lowerator Model 2SH-SS



AMF Lowerator 4SH-SS

AMF Lowerator 2SH




PUT IT WHEREVER
IT FITS... IT'S
ELECTRIC.



AMF Lowerator 1SH-SS


Food mixing, meat preparation, vegetable peeling are completed automatically, the electric way, when you depend on electric kitchen aids. They do the job quickly and economically.



Hobart Slicer 1512



Toledo Slicer Model 5400



General Slicing Machine No. 750

**ELECTRIC KITCHENS
ARE COOLER.**

ELECTRIC KITCHEN AIDS

FEATURES: Automatic dispensing, heating, storage of dishes, bowls, cups, bouillon cups. Stainless steel finish. All swivel casters or adjustable ball feet or legs. Mfd. by Lowerator Div., American Machine & Foundry Co.

SIZE: Height, 34" or 36"; length, 13" to 18"; width, 13" to 18".

CAPACITY: 6 doz. dishes; 3 doz. bowls; 6 doz. cups; 6 doz. bouillon cups.

ELECTRICAL DATA: 530-watt heating system. Adjustable thermostat, 100° to 200° F. Recessed switch box includes on-off switch, pilot light, male twist lock plug, 110 or 220 volts, 60 cycle, single-phase, AC. UL approved.

PRICE **\$364.00 to \$482.00**

ELECTRIC KITCHEN AIDS

FEATURES: Angle-feed food slicing machine. Slices hot or cold meats, cheese, vegetables, etc. All parts contacting food finished of anodic aluminum, stainless steel or white plastic. Mfd. by Hobart Mfg. Co.

SIZE: Height 19¼"; width 18½"; depth 25¼". Net weight 89 lbs.

PRODUCTION: Will handle food up to 10" in width and slice any thickness up to ¾".

ELECTRICAL DATA: Motor ¼ H. P. Toggle switch. A plug-in appliance.

PRICE **Delivered (Eastern) \$450.00**

FEATURES: Gravity feed slicer for meats, cheese, vegetables, etc. Equipped with "Quick Weigh" estimator to indicate approximate weight as each slice falls on platter. White baked enamel. Mfd. by Toledo Scale Co.

SIZE: Height 20¾"; width 18¾"; depth 25¾". Net weight 140 lbs.

CAPACITY: 12" x 10" meat carrier. Gauge plate control dial for any thickness to ¾".

ELECTRICAL DATA: ⅓ H.P. motor. 115 volts, 60 cycle, single phase AC current. A plug-in appliance.

PRICE **(Eastern) \$428.50**
(Western) 433.50

FEATURES: Full gravity feed. UL Approved. White porcelain base, entire remainder of machine in chrome finish. 7½" evergloss stainless steel blade. Mfd. by General Slicing Machine Co., Inc.

SIZE: Height 10¼"; width 15¾"; length 15¾". Net weight 26¾ lbs.

ELECTRICAL DATA: 110 volts, 60 cycle AC. A plug-in appliance.

PRICE **\$99.50**

FEATURES: Tenderizer and steak machine. Self-cleaning feature allows continuous operation, minimum maintenance. Liftout unit is added advantage for simple use. Baked white enamel finish. Processing parts of durable stainless steel. Mfd: by Hobart Mfg. Co.

SIZE: Height 16 $\frac{3}{8}$ "; width 21"; depth 9 $\frac{1}{8}$ "; net weight 75 lbs.

ELECTRICAL DATA: Motor $\frac{1}{3}$ H. P.

PRICE **Delivered \$295.00**

Hobart Steakmaster 400



FEATURES: Mechanical steak tenderizer. Lift-out unit for cleaning insures quick, easy maintenance. Ful-Vue Safety Top. Cast aluminum interior. Gear driven. Manufactured by Cube Steak Machine Co., Division of Needham Mfg. Co., Inc.

SIZE: Height 18"; width 15"; depth 10". Net weight 67 lbs.

PRODUCTION: 1,000 steaks per hour.

ELECTRICAL DATA: Motor $\frac{1}{3}$ H. P. 60 cycle. Toggle switch. A plug-in appliance.

PRICE **\$298.00**

Cube Steak Tenderator L



FEATURES: Steak and patty molding machine. Automatically feeds papers between each patty. Molds, ejects and stacks. Hammerloid baked enamel finish. Mfd. by Hollymatic Corp.

SIZE: Height 27 $\frac{3}{4}$ "; width 18 $\frac{1}{2}$ "; length 26 $\frac{3}{4}$ "; net weight 170 lbs.

PRODUCTION: Up to 2,100 patties per hour.

ELECTRICAL DATA: $\frac{3}{4}$ H. P. motor, single phase 60 cycle, 110 volt; or single phase 60 cycle, 220 volt. 3 phases DC 25 or 50 cycle motors, additional charge.

PRICE **(F.O.B. Chicago) \$895.00**

Hollymatic Molding Machine, Model 54



FEATURES: Attaches to any standard meat chopper. Simple dial adjustment extrudes portion controlled patties on paper backing. Grinding and patty making all in one operation. Guillotine knife is only moving part. Finished in buffed aluminum and stainless steel. Mfd. by Cube Steak Machine Co., Division of Needham Mfg. Co., Inc.


SIZE: 10" x 7" x 21". Net weight 23 lbs.

PRODUCTION: Produces 40 to 80 patties per minute as meat is being ground. Any weight patty from 2 to 8 ozs. can be formed.

ELECTRICAL DATA: Knife operated by heavy duty GE industrial solenoid. 110 volt, 60 cycle single phase.

PRICE **\$495.00**

Needham Patty Machine No. 60



FEATURES: Centrifugal meat cutter. Cuts rather than grinds meat. Eliminates gristle. Corrosion resistant enamel finish. Mfd. by Gifford-Wood Co.

SIZE: Height, 40 $\frac{1}{2}$ "; width, 14"; depth, 22 $\frac{1}{2}$ ". Net weight 300 lbs.

CAPACITY: 2500 lbs. per hour.

ELECTRICAL DATA: 220/440 volts, 60 cycle, 3 phase. 3 H.P. motor.

PRICE **F.O.B. Hudson, N. Y. \$970.00**

Magicut MC-2



YOU CAN DEPEND
ON QUALITY
EVERYTIME WITH
ELECTRIC.

General Meat Chopper,
Model H

FEATURES: Meat chopper and grinder. Visible oil gauge. White porcelanamel finish. Hardwood meat feeder. Two knives, one $\frac{1}{2}$ " and one $\frac{3}{16}$ " plate. UL approved. Mfd. by General Slicing Machine Co., Inc.

SIZE: Height 14"; width 7"; length 20"; net weight 64 lbs.

PRODUCTION: 7-10 lbs. meat per min.

ELECTRICAL DATA: Motor $\frac{1}{2}$ H. P. Overload protection. Plug-in appliance.

PRICE **\$179.50**

(Also available with $\frac{1}{3}$

H.P. motor—Model "D") **\$125.00**

FEATURES: Hydraulic fruit and vegetable cutter. Strips, cuts, slices, or chops up. Turn knob for desired cut. Rotary cutting knife, cutter grid and pusher plate. Stainless steel and buffed aluminum finish. Mfd. by O'Brien Dicer, Inc.

SIZE: Height, 18"; width, 14"; length, 26". Ship. weight 140 lbs.

CAPACITY: 1,100 lbs. French fries; 550 lbs. cubed potatoes, per hour.

ELECTRICAL DATA: Self-starting $\frac{1}{4}$ H.P. motor. 60 cycle, 115 volts, 1 phase.

FEATURES: Stainless steel mobile unit. Chute for vegetables and adjustable storage shelf for pans. Drawer opens from either side. Ball-bearing, rubber-tired casters with brakes. Mfd. by O'Brien Dicer, Inc.

SIZE: Height, 29 $\frac{1}{2}$ "; width, 20"; length, 32". Ship. weight 65 lbs.

FEATURES: Full 12" diameter slicer for grating, shredding and slicing vegetables. New positive acting thickness adjustment along with quick change shredding and grating plates. Polished cast aluminum. Mfd. by Qualheim, Inc.

SIZE: Height 22 $\frac{1}{4}$ "; width 12 $\frac{5}{8}$ "; depth 21". Weight 70 lbs.

PRODUCTION: (per minute) 15 lbs. cabbage slaw; 20 lbs. chips; 10 lbs. salads; 20 lbs. soup stock; 15 lbs. grating; 15 lbs. shredding.

ELECTRICAL DATA: $\frac{1}{4}$ H.P. motor. Toggle switch. A plug-in appliance.

PRICE **\$295.00**

FEATURES: Automatic French fry cutter. Hopper feed. Hammertone green finish. Mfd. by Treloar New Products Co.

SIZE: Height, 14 $\frac{1}{2}$ "; width 31"; depth, 17 $\frac{1}{2}$ ". Net weight, 85 lbs.

PRODUCTION: 2,000 to 3,000 lbs. potatoes per hr.

ELECTRICAL DATA: 1/6 H.P. motor. Toggle grounded switch. Plug-in appliance.

PRICE **\$479.00**

FEATURES: All-purpose vegetable cutter and slicer for slicing and slawing. Variable thicknesses from $\frac{1}{64}$ " to $\frac{1}{4}$ ", rough and fine chopping. French fry and Julienne cutting. Manufactured by Qualheim, Inc.


SIZE: Height 22"; width 26 $\frac{1}{2}$ "; depth 24 $\frac{3}{4}$ ". Weight 140 lbs.

PRODUCTION: 12 lbs. French fries per minute; 20 lbs. chips; 15 lbs. cabbage slaw; 8 lbs. salad.



ELECTRICAL DATA: $\frac{1}{3}$ H. P. motor. Single phase, AC. A plug-in appliance.

PRICE **\$765.00**

O'Brien H-36



O'Brien Dicer Mobile Unit

Qualheim Electro-Cutter
Model 400

Treloar RC2

Qualheim Electro-Cutter
Model 101

KITCHEN SPACE
IS NO PROBLEM
WITH ELECTRIC
EQUIPMENT.

FEATURES: Compact portable vegetable peeler. Stainless steel construction. Automatic time dial control. Designed for drainboard operation. Abrasive peeling action. U. L. label. Manufactured by Universal Industries.

SIZE: Height 21"; depth 15". Net weight 55 lbs.

PRODUCTION: Peels 20 lbs. potatoes and other vegetables per minute.

ELECTRICAL DATA: Overload protection motor $\frac{1}{8}$ H. P. 115 volts. A plug-in appliance.

PRICE Eastern \$150.00
Western \$160.00

FEATURES: Potato and vegetable peeler. Integral peel trap. Long life cement side walls in peeling chamber. Duco finish. No gears. Mfd. by G. S. Blakeslee & Co.

SIZE: Height 45-1/16"; width 24 3/4"; depth 22 1/2". Net weight 340 lbs.

PRODUCTION: Capacity 20 lbs. per minute.

ELECTRICAL DATA: $\frac{1}{8}$ H.P. motor. Switches supplied separate for wall mounting.

PRICE (Duco) \$375.00
(Stainless clad) \$475.00

FEATURES: Potato and vegetable peeler. Built-in peel trap. Cylinder and disc abrasive action. Stainless steel or lacquered body. Manufactured by Toledo Scale Co.

SIZE: Height 47 1/2"; width 18 1/4"; depth 25 1/2". Net weight 350 lbs.

PRODUCTION: 30 lbs. per batch, 1 1/4 minutes. Other models to 60 lbs. capacity.

ELECTRICAL DATA: Motor $\frac{1}{2}$ H. P. Across-the-line starter. Overload protection.

PRICE Lacquered Body \$490.00
Stainless Steel Body \$525.00

FEATURES: Vegetable peeling machine. Long life, heavy duty appliance. Mobile without lifting. Gray hammertone finish. Manufactured by M. J. M. Manufacturing Co.

SIZE: Height 53"; width 18"; depth 28"; net weight 92 lbs.

PRODUCTION: 15 lbs. vegetables per minute; 20 loads or 300 lbs. per hour.

ELECTRICAL DATA: 0.275 KW. $\frac{1}{4}$ H. P. motor. Toggle switch. Plug-in appliance.

PRICE 15 lb. capacity \$270.00
20 lb. capacity \$325.00

FEATURES: Vegetable peeler. Automatic timing. 10-year guarantee on abrasive parts, no lubrication required. Can be loaded or discharged while operating. Gray enamel or stainless finish. Mfd. by Gifford-Wood Co.

SIZE: Height, 52 1/8" or 55 3/4"; width, 16 1/8"; depth, 16 1/8". Net Weight 280 or 360 lbs.


CAPACITY: 20-R2 15 lbs. per charge, 30-R2 30 lbs. per charge.

ELECTRICAL DATA: Automatic shut-off timer switch. $\frac{1}{8}$ or $\frac{1}{2}$ H.P. motor. UL approved.


PRICE \$360.00, \$400.00, \$450.00,
or \$490.00

F.O.B. Hudson, N. Y.


Univex Peeler G




Blakeslee Peeler 20B



Toledo Peeler A-1-30



M.J.M. Peeler 15PM



Royal 20-R2, 20-R2S, 30-R2, 30-R2S



PROFIT POSSIBILITIES
ARE UNLIMITED
WITH ELECTRIC.



Univex GP


FEATURES: Vegetable peeler. Floor model, stainless steel construction. Automatic timed. 5" adjustment possible for sink discharge. Abrasive peeling action. Mfd. by Universal Industries.

SIZE: Height, 48"; width, 16"; depth, 18"; net weight 100 lbs.

CAPACITY: 20 lbs. per min.

ELECTRICAL DATA: 110 volts, 60 cycle. 1/3 H.P. motor. Dial timer and switch.

PRICE Eastern \$240.00
Western \$257.00



Blakeslee Mixer CC20

FEATURES: Food mixer available in floor or bench models. Variable speed control. Not necessary to stop motor to change speed. Duco finish. Mfd. by the G. S. Blakeslee Co.

SIZE: Height, Floor model 54 1/2"; Bench model 36 1/2"; width 18 3/4"; depth 23 7/8". Net weight 290 lbs.

CAPACITY: 20 quart capacity. 12 quart equipment available.

ELECTRICAL DATA: 1/2 H.P. motor. P.B. switch with thermal overload protection.

PRICE (Bench or floor model) \$500.00
Extra for auxiliary attachments



Triumph Mixer N-20 Floor Model


FEATURES: General purpose mixing. Identical in every way with the Triumph bench model except in the method of mounting. Variable speed. Hammertone gray finish. Mfd. by Triumph Mfg. Co.

SIZE: Height 43 1/2"; width 15 1/2"; depth 28 1/2". Net weight 265 lbs.

CAPACITY: Full size 20 qt. bowl.

ELECTRICAL DATA: 1/3 H.P. custom motor. Toggle switch. A plug-in appliance.

PRICE \$504.00
(includes bowl, batter beater and whip)



Univex Mixer 1222

FEATURES: Compact bench model food mixer for kitchen and bake shop use. Durably built. Hammertone finish. Planetary action. Variable speed control. Mfd. by Universal Industries.

SIZE: Height 26"; width 17 3/4"; depth 29"; base 17 3/4"; net weight 235 lbs.

CAPACITY: 12 or 22 quarts.

ELECTRICAL DATA: 1/3 H. P. capacitor start motor 115-230 volts, 60 cycle. Combination switch. Automatic timer 115 volts. A plug-in appliance.

PRICE Eastern \$375.00
Western \$395.00



Triumph Mixer N-20—Bench Model

FEATURES: General purpose mixing and food processor. Tilted beater and bowl. Variable speed. Hammertone gray finish. Mfd. by Triumph Manufacturing Co.

SIZE: Height 25 1/2"; width 15 1/2"; depth 28 1/2"; net weight 220 lbs.

CAPACITY: 20-quart bowl. 12 quart equipment available.

ELECTRICAL DATA: 1/3 H. P. Toggle switch. A plug-in appliance.

PRICE \$496.00
(Includes bowl, batter beater and whip)

ELECTRIC
EQUIPMENT SAVES
FLOOR SPACE.

ELECTRIC SANITATION AIDS

FEATURES: Automatically timed wash, dwell and rinse cycle. Single tank, 3 door type. Stainless steel finish. Mfd. by G. S. Blakeslee & Co.

SIZE: Height 67"; width 29"; depth 26½". Net weight 815 lbs.

CAPACITY: 50 racks per hour. 1250 dishes per hour. Tank capacity 20 gal.

ELECTRICAL DATA: 1 H.P. motor. Heater wattage 5 KW. Thermostat in heater and low water cut-off. Pump capacity 175 G.P.M.

PRICE (Stainless steel) \$1,890.00
(Galvanized) \$1,560.00

FEATURES: Automatic dishwasher with optional manual control. Counter revolving sprays above and below rack. Stainless steel construction. Mfd. by Jackson Products Co. Listed by Natl. Sanitation Foundation and UL.

SIZE: Height 33¼" min.; diameter 20¾".

PRODUCTION: Tank cap. 4.5 gal., 48 racks, or 1,200 dishes or 1,800 glasses per hr.

ELECTRICAL DATA: Wash motor ½ H. P. Thermostatically controlled immersion heater maintains wash water temperature while machine is idle, 1,500 watts.

PRICE \$696.00

FEATURES: Automatic dishwasher. Counter revolving sprays above and below rack. Power wash, power rinse. Stainless steel construction. Mfd. by Jackson Products Co. Listed by National Sanitation Foundation.

SIZE: Height 41½" min.; diameter 26½".

PRODUCTION: Tank capacity 5 gallons, 48 racks, 1,800 dishes per hour.

ELECTRICAL DATA: Wash motor ¾ H. P., rinse motor ¼ H. P. Thermostatically controlled immersion heater maintains wash water temperature while machine is idle, 1,500 watts.

PRICE \$1,041.00

FEATURES: Mechanical dishwasher for dishes, glasses, silverware, 3-way door for straight through or corner installation. Stainless or galvanized steel. Manufactured by Toledo Scale Co.


SIZE: Height 60"; width 27"; depth 28½".

CAPACITY: 60 racks or 1,350 dishes per hour. Tank capacity 23 gallons.


ELECTRICAL DATA: 1 H. P. motor. Water heater 5 KW. (extra cost). Manually operated switch with overload protection. Also timed automatic model.

PRICE Stainless Steel \$1,450.00
Galvanized Steel \$1,350.00


Electric equipment will mechanize your sanitation operation and do the job fast and automatically. There is a type and model designed to best serve your kitchen volume.




Blakeslee Dishwasher DT4



Jackson 10A




Jackson AC-50



Toledo Dishwasher DS-27

SOLVE SANITATION
PROBLEMS WITH
ELECTRIC
EQUIPMENT.

**Insinger Commodore 12**


FEATURES: Door-type dishwashing machine. Front inspection door. Added wash spray. Single lever control. One piece seamless drawn 14 gauge stainless steel tank. Mfd. by The Insinger Machine Co.

SIZE: Height 65"; width 29½"; length 28½". Net weight 650 lbs.

CAPACITY: Tank capacity 21 gals. 50 racks per hour; appointment 1,250 dishes per hour.

ELECTRICAL DATA: Water heater 4.5 KW.; 1 H.P. motor. Pump capacity 200 GPM.

PRICE (F.O.B. Phila.) \$1,425.00

**Hobart AM-6**


FEATURES: Semi-automatic, rack type dishwasher. Three doors for straight wall or corner installation. Stainless steel or galvanized iron construction. Revolving wash arms. Mfd. by Hobart Mfg. Co.

SIZE: Height 65-7/16" overall; width 25¼"; depth 25¼". Net weight 638 lbs.

CAPACITY: 1 tank with 16 gallon capacity. 50 racks or 1,250 dishes per hour.

ELECTRICAL DATA: 1 H. P. motor. Pump capacity 175 gpm. Rating of electric water heater 5 KW. Thermal overload switch.

PRICE Stainless Steel \$1,545.00

**Fearless 44T**


FEATURES: Automatic dishwasher. Single level tank. Stationary open-end wash tubes. Minimum of moving parts. Mfd. by Fearless Dishwasher Co., Inc.

SIZE: Height, 57"; width, 26"; depth, 26". Net weight 650 lbs.

CAPACITY: 23-gal. tank. 60 racks per hour. 1,250 dishes per hour.

ELECTRICAL DATA: 6000 watts. Wilcolator thermostat. ¾ H.P., 1750 RPM motor. Pump capacity 140 GPM.

PRICE \$1,565.00

**Toledo CA-20**


FEATURES: Counter-type dishwasher. Sturdy retractable hoods with access from both sides of machine. Lower wash and rinse tubes tilt up out of the way. Stainless steel finish. Mfd. by Toledo Scale Co.

SIZE: 20" between dish tables.

CAPACITY: 30 racks per hour, 450 dishes. one 8-gal. tank.

ELECTRICAL DATA: 750 watts. ½ H.P. motor. Pump capacity 80 GPM. Automatic time control or manual.

**PRICE Automatic \$875.00
Manual \$755.00**

**Hobart SM-5**

FEATURES: Semi-automatic rack-type dishwasher for straight-through operation. For narrow counters, fountains or work boards. Stainless or galvanized tank and stainless hood. Mfd. by Hobart Mfg. Co.

SIZE: Width 23"; depth 22"; net wt. 206 lbs.

CAPACITY: One tank; 5 gallon capacity. Handles 30 racks or 450 dishes per hour.

ELECTRICAL DATA: Rating of water heater, 600 watts. Motor ¼ H. P. Pump capacity 45 gpm. Tumbler type switch.

PRICE Stainless Steel \$745.00

CLEAN, COOL AND
CONVENIENT —
THE ELECTRIC
KITCHEN.

FEATURES: Hood type dishwashing and garbage disposal with booster water heater. Stainless steel exposed and working surfaces. Arranged for continuous flow of operations. Mfd. by The Bastian-Blessing Co.

SIZE: Height at ledge 33"; width 31¼"; length 7' 6". Shipping weight 795 lbs. (approx.).

CAPACITY: 3,600 dishes in 8-hour period.

ELECTRICAL DATA: Dishwasher motor ¼ H. P. Pump capacity 45 gpm. Garbage disposal motor ½ H. P. Rating of booster water heater 6,000 W.

PRICE (Approx.) **\$2,261.00**

FEATURES: Dishwasher, garbage disposal and booster water heater for bars, luncheonettes, diners. Working surfaces and facings of stainless steel. For processing soiled dishes and handling clean dishes. Mfd. by The Bastian-Blessing Co.

SIZE: Height at ledge 33"; width 31¼"; length 6' 0". Shipping weight (approx.) 675 lbs.

CAPACITY: 3,000 dishes in 8-hour period.

ELECTRICAL DATA: Dishwashing motor ¼ H. P. Pump capacity 40 gpm. Garbage disposal motor ½ H. P. Booster water heater 9,750 W.

PRICE (Approx.) **\$1,720.00**

FEATURES: Two tank construction with automatic 2-speed conveyor with "dwell position". Re-circulating pump for pre-wash. Stainless steel finish. Mfd. by Toledo Scale Co.

SIZE: 78" between dish tables.

CAPACITY: 5075 dishes per hour. 9135 glasses per hour. Tank capacity, pre-wash 21 gals., wash 37 gals.

ELECTRICAL DATA: 2 H.P. motor choice of: 208 volt, 60 cycle or 220 volt, 60 cycle. 2—5000 watt heaters, extra cost.

PRICE **\$3,275.00**

FEATURES: Complete dishwashing equipment including water booster heater, sink, faucet, rinse spray, waste chute and container. All housed in attractive cabinet of stainless steel. Mfd. by Jackson Products Co.

SIZE: Height 40½"; width 78"; depth 31¼". Net weight 600 lbs.

PRODUCTION: Tank capacity 4.5 gal., 40 racks per hour or 950 dishes per hour.

ELECTRICAL DATA: Wash motor ⅓ H.P. 4000 watt booster, 1500 watt heater in dishwasher. Thermostats on dishwasher and booster. Pump capacity 80 GPM. Toggle switches.

PRICE (complete) **\$1,550.00**

FEATURES: Mechanical glass washer. Polished brass. Washes all sizes of glasses. Mfd. by Hamilton Beach Co.


SIZE: Height 18⅞"; width 9-5/16"; depth 8". Shipping weight 31 lbs.

PRODUCTION: 800 glasses per hour.


ELECTRICAL DATA: 1/20 H. P. motor. AC or DC.

PRICE **\$97.50**


Dish-O-Lator 1567 ABCD




Undercounter Dish-O-Lator 1566 ACD




Toledo Dishwasher Model 2T-78R



Dish-O-Mat




Hamilton Beach B




ELECTRIC KITCHENS
ARE CLEANER.


Lazy Boy Pot & Pan Washer




Kraeft 75-C




Kraeft 250-A



Foley Irish A-3



Gruendler Swish-A-Way C-150



Gruendler Whir-Win D-200

NO WALL
INSULATION WITH
ELECTRIC
EQUIPMENT.

ELECTRIC SANITATION AIDS

FEATURES: Motorized scrubber for pots and pans. Reduces manual labor to minimum, insures thorough cleaning job. Six feet of flexible shaft for convenient step-saving operation. Gray enamel finish. Manufactured by Barton Products, Inc.

SIZE: Six-foot shaft. Net weight 49 lbs.

ELECTRICAL DATA: Rating of motor $\frac{1}{4}$ H. P., non-stall heavy duty. Cord with plug. Toggle switch.

PRICE **\$95.00**

FEATURES: Silver burnishing machine to preserve and protect the luster of silverware. Cast bronze tumbling barrel. Cast iron body. Metallic lacquer finish. Manufactured by Paul F. Kraeft, Inc.

SIZE: Height 30"; width 16"; depth 22". Net weight 210 lbs.

PRODUCTION: 75 pieces per charge.

ELECTRICAL DATA: Motor $\frac{1}{4}$ H. P. Toggle switch. A plug-in appliance.

PRICE **\$360.00**

FEATURES: A silver burnishing machine to preserve and burnish the luster of silverware. Bronze tumbling barrel, cast iron wells, metallic lacquer finish. Manufactured by Paul F. Kraeft, Inc.

SIZE: Height 30"; width 16"; depth 22". Net weight 240 lbs.

PRODUCTION: 250 pieces per charge.

ELECTRICAL DATA: Motor $\frac{1}{4}$ H. P. A plug-in appliance.

PRICE **\$400.00**

FEATURES: Combination silver washer and drier. Fully automatic. Timed cycles wash, rinse, dry. Stainless steel and polished aluminum finish. Mfd. by Foley Irish Corp.

SIZE: Height, 31"; width, 24 $\frac{1}{4}$ "; depth, 17". Net weight 150 lbs.

CAPACITY: 4-stage cycle completed within 5 min. 900 pieces of silver per hour.

ELECTRICAL DATA: 115 volts, 60 cycle, AC, 15 amps. Tumbler switch. $\frac{1}{4}$ H.P. motor. Nichrome wire heating element. Plugs in. Requires $\frac{1}{2}$ " water infeed, 1 $\frac{1}{2}$ " drain.

PRICE **\$655.00**

FEATURES: Garbage disposer. Offset feed, rubber scrap block, stainless steel feed pan. Flexible overhead pre-rinse faucet extra. Stainless steel with undercoat of sound-absorbing mastic. Mfd. by Gruendler Crusher & Pulverizer Co.

SIZE: Variable for special adaptation. Weight app. 250 lbs.

CAPACITY: 500 lbs. per hour.

ELECTRICAL DATA: 1.1 KW. Allen-Bradley starter with overload release. 1 $\frac{1}{2}$ or 3 H.P., 3 phase, 60 cycle, 220 volt motor.

FEATURES: Garbage disposer. Offset feed, stainless steel pan. Overhead pre-rinse faucet extra. Stainless steel with undercoat of sound-absorbing mastic. Mfd. by Gruendler Crusher & Pulverizer Co.

SIZE: Height, 35"; width, 24"; length, 36". Net weight 450 lbs.

CAPACITY: 1200 lbs. per hr.

ELECTRICAL DATA: 2.3 KW. Allen-Bradley starter with overload release. 2, 3, or 5 H.P. motor. 3 phase, 60 cycle, 220 volts.

ELECTRIC SANITATION AIDS

FEATURES: Garbage disposer. Scraps and pre-rinses. Patented sump salvages silverware. Foot pedal pressure control. Optional hot-cold mixing valve. Stainless steel with undercoat of sound-absorbing mastic. Mfd. by Gruendler Crusher & Pulverizer Co.

SIZE: Height, 34"; width, 24"; length, 48 1/4".
Net weight up to 750 lbs.

CAPACITY: 2500 lbs. per hr.

ELECTRICAL DATA: 5.6 KW. Allen-Bradley starter with overload release. 3, 5, or 7 1/2 H.P., 3 phase, 60 cycle, 220 volt motor.

Gruendler Su-Pre-Me G-400



FEATURES: Commercial food waste disposer. Reverso-Clean action. Gray finish. Easy installation. Choice of nine models. Mfd. by Toledo Scale Co.

SIZE: Height 22"; cone diameter 15"; shipping weight 61 lbs.

PRODUCTION: Continuous feeding.

ELECTRICAL DATA: 1/2 H.P. motor with overload protection.

PRICE \$320.00

(Includes all parts necessary for regular installation, wiring and plumbing excepted.)

Toledo 55B




FEATURES: Pulverator for heavy volume food waste. Durable, resilient "Hush-Cushion" insulation throughout. Stainless steel cone and cover. Complete with exclusive overhead "Spra-Rinse" assembly for pre-rinsing. A model for every need. Send for line folder. Mfd. by Given Mfg. Co.

CAPACITY: Up to 2,000 lbs. per hour continuous feeding.

ELECTRICAL DATA: Models IND3-9-9-18 and IND3-8-0-18 equipped with 3 H.P. motor; models IND1 1/2-9-9-18 and IND1 1/2-8-0-18 with 1 1/2 H.P. motors.

PRICE (IND3-8-0-18) \$1,239.00

Waste King IND Model



ELECTRIC WATER HEATERS AND BOOSTERS

FEATURES: Storage type booster heater for increasing temperature of water to 180°-190° F. Fits under dishtable. Monel tank resists corrosion. A combination temperature pressure relief valve furnished as standard equipment. Mfd. by Jackson Products Co.

SIZE: Height 31"; diameter 19"; net weight 105 lbs.

PRODUCTION: 83 gal. first hour (based on 40° temperature rise); then 63 gal. per hour.

ELECTRICAL DATA: 6,000 watts. 220 volts, single phase. Immersion type heating elements. Thermostatically controlled.

PRICE \$226.00

Hi-Put Booster Heater





ELECTRIC
EQUIPMENT FITS
ANYWHERE IN
YOUR KITCHEN.

You will always have available a supply of hot, 180° water for sanitary rinsing and sterilization when you install a dependable electric water heater or booster in your kitchen.





Booster IM-100, IM-200, IM-300

Coates Rinse Heater
1202RH to 1226RH



Thermalink PRBC-110

Safurn



Thermalink DAR-240

ELECTRIC HEAT IS
RADIANT HEAT.

FEATURES: Heavy duty booster heater increases hot water supply to 180°. For rinse cycle of mechanical dishwashers. Heavy gauge galvanized tank, white baked enamel or stainless steel jacket. Mfd. by Gordon Hatch Company.

SIZE: Height 31"; diameter 26"—designed for under-counter installation. Shipping weight 245 lbs.

CAPACITY: Model IM-100, 85 gals. first hour, 60 gals. per hour recovery.* Model IM-200, 105 gals. first hour, 80 gals. per hour recovery. Model IM-300, 120 gals. first hour, 95 gals. per hour recovery. All have 25-gal. storage capacity.

ELECTRICAL DATA: IM-100, 6 KW; IM-200, 8 KW; IM-300, 10 KW. 230 or 208 volts. Chromalox immersion heating elements, thermostatically controlled. Underwriters' approved.

*based on 40° temperature rise.

PRICE	IM-100	\$199.50
	IM-200	\$209.50
	IM-300	\$219.50

(Stainless steel jacket extra)

FEATURES: Sink heater for small restaurants, taverns or lunch counter operations to raise temperature of water to 180° F. Connects to sink. Two sink fittings supplied. Mfd. by Coates Electric Manufacturing Co.

SIZE: Height 4"; length 21"; depth 6". Net weight 11 lbs.

ELECTRICAL DATA: 2 to 6 KW immersion-type element.

PRICE	\$79.52 to \$90.72
--------------	---------------------------

FEATURES: Immersion type automatic water heater. Heat resistant aluminized control box. Immersion thermostat with range of 60° to 250° F. Mfd. by Electro-Therm, Inc.

SIZE: Length, overall, 13½"; immersed unit, 9½".

ELECTRICAL DATA: 1 KW. Available from 600 to 5,000 watts. Copper sheath thermalink heating element.

PRICE	\$17.45
--------------	----------------

FEATURES: Auxiliary water heater. 1-gal. model regenerates to 150° F. in 14.6 min.; 2½-gal. model in 32 min. Galvanized or bronze tank, white enamel casing. Mfd. by Barton Products, Inc.

SIZE: Height, 19½", 21½" or 35"; width, 8" or 13¼".

CAPACITY: 1, 2½, or 5 gal.

ELECTRICAL DATA: 1000 or 1250 watts. 110 volts, AC. UL approved.

PRICE	\$30.00 to \$65.50
--------------	---------------------------

FEATURES: Automatic heater for tanks or drums containing oil, lard, syrup, water. Unit fits bung of 55-gal. barrel without altering barrel. Mfd. by Electro-Therm, Inc.

SIZE: Height, 38¾"; width, 2"; width of base, 19".

CAPACITY: To fit 55-gal. oil drum.

ELECTRICAL DATA: 4 KW. 115, 230, or 208 volts. Copper, steel, or alloy elements. Thermostatically controlled from 50° to 250° F. Pilot light.

PRICE	Copper	\$74.50
	Steel	\$69.00
	Alloy steel	\$87.50

FEATURES: Water heater for wash and/or rinse for manual dishwashing. Adjustable to depth. Mfd. by Electro-Therm, Inc.

SIZE: Height, 31½"; width, 16½"; depth, adjustable. For 18" or larger sink.

ELECTRICAL DATA: 6 KW. On-off switch in thermostat setting knob. 100° to 200° F. control. Stainless steel or nickel plated copper heating elements. Low-water cut-off with manual reset button.

PRICE

\$79.95

FEATURES: Booster heater for dishwasher rinse cycle. Increases regular hot water supply to 180° F. Water pressure regulator and strainer. Relief valve. Magnetic contactor. Aluminized steel casing. Mfd. by Industrial Engineering & Equipment Co.

SIZE: Height 31½" to 52"; diameter 10⅝" to 12⅝"; shipping weight approx. 150-200 lbs.

CAPACITY: 40-220 gal. recovery per hour (50° temperature rise.) 3.2-10.1 gal. storage.

ELECTRICAL DATA: 5 to 27.5 KW. Indeeco immersion elements. Thermostatically controlled.

PRICE

\$164.55 to \$536.35

FEATURES: Water heater unit with built-in thermostat. Red crinkle finish. One inch standard screw plug. Mfd. by Edwin L. Wiegand Co.

SIZE: 1500 Watt unit. Overall length 15⅞"; length of immersion unit 11⅝".

ELECTRICAL DATA: Ratings 750 to 2000 watts at 118 or 236 volts. 2500 W and 3000 W at 236 V only. Thermostat with range from 100° to 180° F. Copper-sheathed Chromalox tubular immersion heater.

PRICE

\$17.90

FEATURES: Water heater unit for coffee urns, water heaters, dishwashers, hot food tables, etc. Immersion type Chromalox element. Available from 1 KW. to 6 KW. Manufactured by Edwin L. Wiegand Co.

SIZE: Length 7"; width 3⅞"; depth 1⅝".

PRODUCTION: Designed for 8 gallon container or urn.

ELECTRICAL DATA: Rating 2,500 watts, 120, 208, or 240 volts. Also available in other ratings and 3 phase construction.

PRICE

\$21.50

FEATURES: Small, compact automatic booster water heater to raise water temperature to 180° F. Dark grey baked enamel finish. Mfd. by Coates Electric Manufacturing Co.

SIZE: Length 25"; diameter 12". Net weight 140 lbs. to 270 lbs.

PRODUCTION: Boosts 27 to 405 gallons per hour by 40° F. (Depending on size.)

ELECTRICAL DATA: 3 to 45 KW. Immersion elements. Thermostatically controlled.

PRICE

\$163.80 to \$669.08

FEATURES: Water heater where mounting space is limited and larger units can't be used. Stainless steel or copper sheath for 1⅝" opening. Mfd. by Electro-Therm, Inc.


SIZE: Length, 7"; width, 2"; depth, 1¼".

ELECTRICAL DATA: 700 watts, 118, 236, or 208 volts. Others available. Thermalink immersion type heating element.

PRICE

Copper \$9.60


Stainless steel \$10.20



Thermalink SSR-260




Indeeco Booster 50U-102 to 50U-73




Chromalox ARTM-1500



Chromalox TTUH-25




**Coates Booster Heater
1203K to 32045K**



Thermalink UHTJ-27

**AUTOMATIC
ELECTRIC SAVES
ON LABOR COSTS.**

**Thermalink UHT-225**

FEATURES: Water heater where depth of water and physical dimensions are limited. Copper or stainless steel sheath with brass threaded header. Fits 2 7/16" opening. Mfd. by Electro-Therm, Inc.

SIZE: Length, 7 1/2"; width, 3"; depth, 1 7/8".

ELECTRICAL DATA: 2.5 KW. Available 1-6 KW. 118, 236, or 208 volts. Copper or alloy stainless steel heating element.

PRICE **Copper** \$16.40
Stainless steel \$18.40

Sink Heater 1717-10 to 1717-61

FEATURES: Kitchen sink heater for establishments without dishwashers. Single or double blade unit for washing or rinsing compartments. Heats to 170°-212° F. Blade protected from mechanical injury by perforated guard. Mfd. by Industrial Engineering & Equipment Co.

SIZE: Height 19 1/2" to 29"; blade length 16" to 25"; shipping weight approx. 20 lbs.

ELECTRICAL DATA: 1,650-5,550 watts. 6-foot 3 conductor rubber covered cord and polarized plug. Thermostatically controlled.

PRICE \$61.60 to \$94.60

**Chromalox NWH-6241**

FEATURES: Automatic circulation-type water heater; also a booster heater. Can be connected to tanks, kettles. Enclosed in galvanized iron housing. Copper-sheathed Chromalox tubular immersion heater. Brown crinkle finish. Mfd. by Edwin L. Wiegand Co.

SIZE: Length 44 1/4"; diameter 8 5/8". Shipping weight 240 lbs.

ELECTRICAL DATA: Rating 24 KW. One or three phase 240, 480 and 550 volts. Other ratings available. Complete with thermostat.

PRICE \$301.00

Indeeco Booster 50U-300 to 50U-302


FEATURES: Booster heater for dishwasher rinse cycle. Increases regular hot water supply to 180° F. Water pressure regulator and strainer. Relief valve. Magnetic contactor. Aluminized steel casing. Mfd. by Industrial Engineering & Equipment Co.

SIZE: Height 48 1/2"; diameter 16"; shipping weight approx. 400 lbs.

CAPACITY: 300-360 gal. recovery per hour (50° temperature rise). 20 gal. storage.

ELECTRICAL DATA: 37.5 and 45.0 KW. immersion elements. Thermostatically controlled.

PRICE **37.5 KW** \$574.85 to \$679.35
45.0 KW \$594.65 to \$701.35

**Hubbell Booster B108 to B2045**

FEATURES: Fully automatic, 180° rinse water heater for all dishwashing machines. Copper silicon tinned tanks, gray enamel hammer tone finish. Both plumbing and electrical connections are in front of heater. Mfd. by The Electric Heater Co.

SIZE: 10-gal. tank — height, 21 1/4"; width, 18"; length, 29". 20-gal. tank — height, 23"; width, 20"; length, 38 1/2".

CAPACITY: 80 to 450 gal. per hour based on 40° temperature rise.

ELECTRICAL DATA: 8 to 45 KW. Copper sheath, immersion type heating element. Adjustable thermostat, 60° to 250°.

PRICE \$339.00 to \$730.00

ELECTRIC COSTS
NO MORE TO OWN.

ELECTRIC REFRIGERATION

FEATURES: All-metal construction. Front, stainless steel; remainder of case and interior, corrosion resistant aluminum. Interiors can be changed in minutes. All shelves, tray slides, meat rails and refrigerated drawers adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting, automatic defrosting. Built-in cylinder locks on doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 22 cubic feet.

SIZE: Height 72 $\frac{1}{4}$ "; width 50 $\frac{1}{4}$ "; depth 27 $\frac{1}{2}$ " (exclusive of hardware).

ELECTRICAL DATA: $\frac{1}{4}$ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.

PRICE (with standard shelves) \$961.00
(also available as pass-through)

FEATURES: Just plug modern electric cooking units into superstructure of refrigerator. This combination of heat and cold in a small floor space becomes a low-cost modern, self-contained kitchen. Welded all-aluminum construction. Satintone finish. "No crack" interior prevents bacteria growth. Overlap doors increase usable storage space. Sliding refrigerated and dry storage drawers. Adjustable legs. 2" laminated maple cutting board. Mfd. by Foster Refrigerator Corp.

SIZES: Will accommodate 5 electric cooking units. Also available in sizes for 3 to 7 units. Other models come without superstructure and as pass-thrus and freezers.

ELECTRICAL DATA: Superstructure wired for 115/230 volts AC. Three prong receptacles. Fused circuits. UL approved.


FEATURES: All steel clad, sectional design. Pre-fabricated available in combination to meet every need. Exterior, baked white enamel; interior, galvanized or aluminum. Fiberglass sealed. Vaporproof insulation. Available with walk-in doors, service doors or self-service sliding doors. Stainless steel interior and exterior available at extra cost. Accessories include shelves, racks, meat rails, fluorescent lighting. Automatic defrost, shelf plate coils or ceiling plate coils as required. Mfd. by Federal Refrigerator Mfg. Co.

SIZE: Made in all sizes and combinations.

MODEL SHOWN: Combination unit includes: Walk-in storage freezer, walk-in cooler for meat, vegetables and dairy products.


A successful food service establishment needs proper refrigeration. The commercial electric refrigerators described here offer you a varied selection for your purposes.

**Sta-Kold RA-22-S
Reach-in Refrigerator**




**Foster Undercounter
Refrigerator UC 5-WU**

**Federal Walk-In
Refrigerator
and Freezers**



**ELECTRIC
EQUIPMENT SAVES
FLOOR SPACE.**

**Vimco RS-40-S
Reach In Refrigerator**




FEATURES: All metal construction. Top and back corrosion-resistant aluminum. Exterior and interior stainless steel. Shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 40 cubic feet.

SIZE: Height 72 $\frac{3}{4}$ "; width 50 $\frac{1}{4}$ "; depth 33 $\frac{1}{2}$ " (exclusive of hardware).

ELECTRICAL DATA: $\frac{1}{2}$ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.

PRICE (with standard shelves) \$1,473.00




**Foster Two Temperature
HLR 8-17-U Refrigerator**

FEATURES: Fostermatic balanced refrigeration system with two condensing units—two completely separate systems. Welded all-aluminum construction. Satintone finish. "No crack" interior prevents bacteria growth. Overlap doors eliminate door pans, increase usable space. Freezer section has secondary doors to protect perishables from biological heat shock. Slatted aluminum shelves. Mfd. by Foster Refrigerator Corp.

SIZE: 8 cu. ft. freezer and a 17 cu. ft. refrigerator self contained. Also available in 6-11, 12-23, 20-40 cu. ft. sizes.

ELECTRICAL DATA: UL approved.

**Sno-Queen RDW-90-R
Dough Retarder-Salad
Refrigerator**



FEATURES: All metal construction. Exterior doors and sides baked white enamel finish. Remainder of case exterior and interior of corrosion-resistant aluminum. Interior can be changed in minutes. All shelves, tray slides, meat rails and refrigerated drawers adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting, automatic defrosting. Built-in cylinder locks on doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 90 cubic feet. Equipped with 120 sets of slides.

SIZE: Height 72 $\frac{3}{4}$ "; width 100 $\frac{1}{2}$ "; depth 33 $\frac{1}{2}$ " (exclusive of hardware).

ELECTRICAL DATA: Recommended $\frac{3}{4}$ H.P. compressor. 110 volts, 60 cycle, single phase current.

PRICE \$2,142.00

(also available as pass-through)



**Sta-Kold RDA-40-S
Dough Retarder-Salad
Refrigerator**

FEATURES: All metal construction dough retarder and salad refrigerator. Front stainless steel. Top, sides, back and interior of corrosion resistant aluminum. All shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 40 cubic feet equipped with 53 sets of slides.

SIZE: Height 72 $\frac{3}{4}$ "; width 50 $\frac{1}{4}$ "; depth 33 $\frac{1}{2}$ " (exclusive of hardware).

ELECTRICAL DATA: $\frac{1}{2}$ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.

PRICE \$1,190.00

CUT COSTS AND
BUILD PROFITS —
ELECTRICALLY.

FEATURES: Styled for large capacity in minimum floor space. Shelves adjustable to needs. Available with double sealed glass doors. Models in variety of finishes. Mfd. by Federal Refrigerator Mfg. Co.

SIZE: 73.5 cu. ft. with 88.2 sq. ft. of shelf area. Stainless steel exterior and interior. Height 72-11/16"; width 88"; depth 33 3/4". Self contained models in 23.6, 28.5, 41.4, 65.4 cu. ft. Remote models up to 73.5 cu. ft. sizes.

FEATURES: All-metal construction. Front, stainless steel; remainder of case and interior, corrosion resistant aluminum. Interiors can be changed in minutes. All shelves, tray slides, meat rails and refrigerated drawers adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting, automatic defrosting. Built-in cylinder locks on doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 54 cubic feet. High Temp 40 cu. ft.; Low Temp 14 cu. ft.

SIZE: Height 72 3/4"; width 75 3/8"; depth 33 1/2" (exclusive of hardware).

ELECTRICAL DATA: 1/2 H.P. hermetically sealed unit (for normal temperature) and 1/2 H.P. unit with Kramer Thermobank automatic defrost (for freezer). 110 volts, 60 cycle, single phase current.

PRICE **\$2,686.00**
(also available as pass-through)

FEATURES: Welded all aluminum construction. Satintone finish. Fostermatic automatic defrost, balanced refrigeration system. Overlap doors eliminate door pans, increase usable space. "No Crack" interior prevents bacteria growth. Slatted aluminum shelves. Mfd. by Foster Refrigerator Corp.

SIZES: 35 cu. ft. self contained. Other reach-in models from 15 to 100 cu. ft., both self-contained and remote.

ELECTRICAL DATA: Special motor voltage characteristics available. UL approved.


FEATURES: All metal construction dough retarder and salad refrigerator. Top and back corrosion-resistant aluminum. Exterior and interior stainless steel. Shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 65 cubic feet. Equipped with 90 sets of slides.


SIZE: Height 72 3/4"; width 75 3/8"; depth 33 1/2" (exclusive of hardware).

ELECTRICAL DATA: Recommended 1/2 H.P. compressor. 110 volts, 60 cycle, single phase current.


PRICE **\$1,988.00**



**Federal Reach-In
Refrigerators Model 1170**



**Sta-Kold DTA-14-F 40-S
Dual Temp Refrigerator**



**Foster Reach-In
Refrigerator HR 35-U**

**Vimco RDS-65-R
Dough Retarder-Salad
Refrigerator**




**YOU JUST CAN'T
BEAT ELECTRIC.**

Vimco DTS-11F-11-S
Dual Temp Refrigerator



Foster Flat Top Beverage
Cooler BC 20-DU

Cres-Cor R-171



United UF-32

HIGH QUALITY AT
LOW COST WITH
ELECTRIC.

FEATURES: All metal construction. Top, back and bottom corrosion-resistant aluminum. Exterior and interior stainless steel. Shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic self-defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 22 cubic feet.

SIZE: Height 72 $\frac{3}{4}$ "; width 50 $\frac{1}{4}$ "; depth 27 $\frac{1}{2}$ " (exclusive of hardware).

ELECTRICAL DATA: $\frac{1}{4}$ H.P. hermetically sealed unit for normal temperature and a $\frac{1}{4}$ H.P. hermetically sealed unit with Kramer Thermobank automatic defrost for freezer. 110 volts, 60 cycle, single phase current.

PRICE **\$1,813.00**

FEATURES: Welded all-aluminum construction. Satintone finish. Fostermatic automatic defrost balanced refrigeration system. Sliding doors. "No crack" interior prevents bacteria growth. Mfd. by Foster Refrigerator Corp.

SIZES: 20 cu. ft. self contained. Holds 25 cases of 12 oz. bottles or 900 square half-pint containers. Also available in 12, 16, 30, 40 cu. ft. sizes. Self-contained and remote.

ELECTRICAL DATA: UL approved.

FEATURES: Mobile insulated cold cabinet. Adjustable angle shelves. Tight lock door. High-low cold temperature range. Neoprene, ball bearing casters. Aluminum alloy construction. Mfd. by Crescent Metal Products Inc.

SIZE: Height, 69 $\frac{3}{4}$ "; length, 33 $\frac{1}{2}$ "; width, 27"; weight, 393 lbs.

CAPACITY: Adjustable side rails allow use of several tray sizes — 12" x 20", 18" x 26", 14" x 18", 16" x 22", or 18" x 20".

ELECTRICAL DATA: 1500 watts, 110 volts, 60 cycle. Manual switch. $\frac{1}{4}$ H.P. compressor motor. 2-prong plug with safety ground.

PRICE **\$715.00**

FEATURES: Upright food freezer. Stores and sharp freezes. All metal construction, locking type hardware. Baked enamel finish. Adjustable half wire shelves. Mfd. by United Refrigerator Co.

SIZE: Height, 70"; width, 56"; depth, 35 $\frac{1}{4}$ ". Weight approx. 685 lbs.

CAPACITY: 5,684 sq. in. refrigerated surface. Over 1,000 lbs. food. 32 cu. ft. capacity.

ELECTRICAL DATA: 115 volts, 60 cycle, AC. $\frac{1}{2}$ H.P. sealed-in-oil compressor.

PRICE **\$875.00**

FEATURES: All metal construction. All shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Sanitary wipe-out bottom. No exposed screws, bolts or rivets. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 60 cubic feet.

SIZE: Height 72¾"; width 75¾"; depth 33½" (exclusive of hardware).

ELECTRICAL DATA: ¾ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.

PRICE (with standard shelves) \$2,130.00

FEATURES: Welded all-aluminum construction. Satintone finish. Fostermatic balanced refrigeration system. Overlap doors eliminate door pans, increase usable space. Secondary doors protect perishables from biological "heat shock". Mfd. by Foster Refrigerator Corp.

SIZES: 30 cu. ft., self contained. Other upright models from 14 to 100 cu. ft., both self contained and remote. Chest type models in 16, 20, 40 cu. ft. sizes.

ELECTRICAL DATA: Special motor voltage characteristics available. UL approved.

FEATURES: All metal construction. Exterior doors and sides baked white enamel finish. Remainder of case exterior and interior of corrosion-resistant aluminum. Interiors can be changed in minutes. All shelves, tray slides, meat rails and refrigerated drawers adjustable on 1" centers. Sanitary wipe-out bottom. Slide-out compressors for easy servicing. Automatic interior lighting, automatic defrosting. Built-in cylinder locks on doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 40 cubic feet.

SIZE: Height 72¾"; width 50¼"; depth 33½" (exclusive of hardware).

ELECTRICAL DATA: ½ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.

PRICE (with standard shelves) \$1,652.00
(also available as pass-through)


FEATURES: All metal construction. Top and back corrosion-resistant aluminum. Exterior and interior stainless steel. Shelves, tray slides, meat rails and refrigerated drawers are adjustable on 1" centers. Slide-out compressors for easy servicing. Automatic interior lighting. Automatic defrosting. Built-in cylinder locks on all doors. Mfd. by Victory Metal Mfg. Corp.

CAPACITY: 32 cubic feet.


SIZE: Height 72¾"; width 50¼"; depth 27½" (exclusive of hardware).

ELECTRICAL DATA: ½ H.P. hermetically sealed unit. 110 volts, 60 cycle, single phase current.


PRICE (with standard shelves) \$1,737.00




Sta-Kold FA-60-S Freezer



**Foster Upright Freezer
LR 30-U**



Sno-Queen FW-40-S Freezer



Vimco Freezer FS-32-S

YOU CHOOSE THE
BEST WHEN YOU
INVEST IN ELECTRIC.

DIRECTORY

A

AKRON (See Associated Products, Inc.)

AMCOIN CORPORATION

405 Lexington Ave., New York 17, N. Y.
Henry Smithers, V.-P.

COFFEE URNS

Lowboy Combination	33
Boileret Lowboy	32
DUET CHOCOLATE and Iced Tea Urn	39

AMERICAN MACHINE & FOUNDRY CO.

261 Madison Ave., New York 16, N. Y.
John Eichorn, Prod. Adv. Mgr.

CHINA DISPENSERS

Lowerator 2SH-SS	42
Lowerator CHS-SS	42
Lowerator 1SH-SS	43
Lowerator 2SH	42
Lowerator 4SH-SS	42

AMERICAN METAL WARE CO.

368 W. Huron St., Chicago 10, Ill.
W. E. Royce

COFFEE URN

American Beauty Lo-Bilt Twin	34
------------------------------------	----

ASSOCIATED PRODUCTS, INC.

20 S. Ontario St., Toledo 2, Ohio
J. W. Long, Gen. Sls. Mgr.

FOOD WARMER Akron 542	24
FRYER Akron 960	8
GRIDDLE Akron 360B Super	17
OVEN Akron 830	12
RANGE Akron 621 Master	4

B

BAKERS PRIDE OVEN CO., INC.

1641 E. 233 St., New York 66, N. Y.
Larry Garizio, Sls. Mgr.

OVENS

K01 Bake	13
P20 Bake	13
L02 Pizza	14
M02 Pizza	13
Y12 Pizza	12

BARTON PRODUCTS, INC.

819 N. Blanchard St., Wheaton, Ill.
J. P. Barton, President

POT & PAN WASHER Lazy Boy	51
WATER HEATER Saturn	53

BASTIAN-BLESSING COMPANY

4201 W. Peterson Ave., Chicago 30, Ill.
C. T. Johnson, Sls. Mgr.

DISHWASHERS & GARBAGE DISPOSERS

Dish-O-Lator 1567 ABCD	50
Undercounter Dish-O-Lator	
1566 ACD	50

BEST PRODUCTS COMPANY

2620 W. Addison St., Chicago 18, Ill.
Charles J. Ney, Sls. Mgr.

COFFEE BREWERS

Automatic 10,000-E	32
Pour O Matic, 5,000-E	31

BLAKESLEE, G. S., & CO.

1844 S. Laramie Ave., Chicago 50, Ill.
C. Dale Patrick, Sls. Mgr.

DISHWASHER DT4	48
MIXER CC20	47
PEELER 20B	46

BLICKMAN, S., INC.

78 Gregory Ave., Weehawken, N. J.
B. L. Becker, Adv. Mgr.

COFFEE BREWER SWJr-35	32
-----------------------------	----

C

CAMPBELL SOUP COMPANY

Camden 1, New Jersey
J. H. C. Gray

SOUP KITCHEN A-2	41
------------------------	----

CHROMALOX (See Edwin L. Wiegand Co.)

CLEVELAND RANGE CO.

3333 Lakeside Ave., Cleveland 14, Ohio
S. J. Zabo, Sls. Mgr.

STEAM COOKERS

Steam-Chef 2SB	16
Steamcraft Cub I-E-T	16

COATES ELECTRIC MANUFACTURING CO.

3419-11th Ave., S.W., Seattle, Wash.
Sydney N. Coates, President

BOOSTER HEATER 1203K-32045K	54
RINSE HEATER 1202RH-1226RH	53

CORY CORPORATION

221 N. LaSalle St., Chicago 1, Ill.
Lyle Cazel, Adv. Mgr.

COFFEE BREWERS

247H	35
437HW	35
C-100	35
C500H	35
COFFEE GRINDER CCG	35

CRESCENT METAL PRODUCTS, INC.

18901 St. Clair Ave., Cleveland 10, Ohio
A. Judia, Sls. Prom. Mgr.

INFRA-RED EQUIPMENT

Cres-Cor IFW-60	27
Cres-Cor IFW-63PD, IFW-67PD	28
Cres-Cor IFW-3625	28

REFRIGERATOR

Cres-Cor R-171	59
----------------------	----

FOOD WARMERS

Cres-Cor 130-1836	21
Cres-Cor 120-1836	22
Cres-Cor 704	22

D

DESPATCH OVEN COMPANY

619 S.E. Eighth St., Minneapolis 14, Minn.
R. G. MacCune, Sls. Mgr.

OVENS

Baker Boy 12	11
Commander 30	10
Despatch 345-3	12

DICK, CHAS. L., CO.

Kent, Washington
Charles L. Dick, Mgr.

INFRA-RED WARMER Chadick	28
--------------------------------	----

DUKE MANUFACTURING CO.

2305 N. Broadway, St. Louis 6, Mo.
M. P. Duke, Pres.

FOOD WARMERS

Thurmaduke Cafeteria Counter	22
Thurmaduke Portable	22
Thurmaduke Standard	22

E

ELECTRIC HEATER CO., THE

Stratford, Conn.
George G. Dimond, Sls. Mgr.

BOOSTER HEATER Hubbell	55
------------------------------	----

ELECTRO-THERM, INC.

931 Selim Rd., Silver Spring, Md.
Richard G. Davis, Sls. Mgr.

WATER HEATERS

Thermalink DAR-240	53
Thermalink SSR-260	54
Thermalink PRBC-110	53
Thermalink UHTJ-27	54
Thermalink UHT-225	55

F

FEARLESS DISHWASHER CO., INC.

175-179 Colvin St., Rochester 2, N. Y.
Paul H. Clement

DISHWASHER 44T	49
----------------------	----

FEDERAL REFRIGERATOR MFG. CO.

550 Elizabeth St., Waukesha, Wis.
A. J. Mickle, Sls. Mgr.

REFRIGERATOR & FREEZER Walk-in..	56
REFRIGERATOR Reach-in 1170	58

FOLEY-IRISH CORP.

31 Washington St., Brooklyn 1, N. Y.
Fosdick Zabriskie, Mgr.

SILVER WASHER A-3	51
-------------------------	----

FOSTER REFRIGERATOR CORPORATION

Mill and N. Second Sts., Hudson, N. Y.
H. Shillin, Sls. Prom. Mgr.

REFRIGERATORS

Flat Top Beverage Cooler	
BC 20-DU	59
Reach-In HR 35-U	58
Two Temperature HLR 8-17-U	57
Undercounter UC 5-WU	56
FREEZER Upright LR 30-U	60

FRANKLIN PRODUCTS CORP.

400 W. Madison, Chicago, Ill.

S. M. Anoff, President

COFFEE URNS

Perflex 3 Gallon	33
Perflex 5 Gallon	34

FOOD WARMERS

Thermotainer Type AA	22
Thermotainer Type C, CPT	21
Thermotainer Type E	21
Thermotainer Truck Type T-2	23
Thermotainer Type UC	23

G**GENERAL SLICING MACHINE CO., INC.**

Walden, N. Y.

Herbert Friedman, Secretary

MEAT CHOPPER H	45
SLICING MACHINE 750	43

GIFFORD-WOOD CO.

Second Hill, Hudson, N. Y.

Jon H. Miller, Mgr. K. M. Sls.

FRY KETTLE Models 18, 27	6
MEAT CUTTER MC-2	44
VEGETABLE PEELER Royal	46

GIVEN MANUFACTURING CO.

3301 Fruitland Ave., Los Angeles, Calif.

Elm Weingarden, Asst. Natl. Sls. Mgr.

GARBAGE DISPOSER	
Waste King IND	52

GOLD PRIZE COFFEE CO., INC.

144 W. Kinzie St., Chicago, Ill.

Warren Farner, Sls. Mgr.

COFFEE URN	
Urn O Matic	33

GRISWOLD MANUFACTURING CO.

Erie, Pa.

Leonard E. Kingsley, Mktg. Mgr.

FOOD WARMERS	
1315X	23
N2200, 2203 AP Inserts	25
FRY KETTLES	
H2512	8
N2115	5
H9018	8
GRIDDLES	
N2430	18
N2736	18
GRILL & TOASTER N1100	19
HOTPLATE N2601	20
OVENS	
H362R	10
H54-1BIR	11
OVEN & BROILER HBR36R	9
RANGE R45 Economizer II	3
RANGE & OVEN HR36D	3
WAFFLE BAKER N3112	37

GROEN MANUFACTURING CO.

4535 W. Armitage Ave., Chicago 39, Ill.

F. J. Corcoran, Sls. Mgr.

STEAM KETTLES	
AE	16
TDB	15

GRUENDLER CRUSHER & PULVERIZER CO.

2915 N. Market St., St. Louis 6, Mo.

William Gruendler, Pres.

GARBAGE DISPOSERS	
Swish-A-Way C-150	51
Whir-Win D-200	51
Su-Pre-Me G-400	52

H**HAMILTON BEACH CO.**

Racine, Wis.

John R. Egan, Adv. Mgr.

DRINK MIXERS	
30	39
40	38
GLASS WASHER B	50

HATCH, GORDON, COMPANY

531 W. Wisconsin Ave., Milwaukee 3, Wis.

D. L. Herrick, Mgr.,

Hatco Booster Heater Div.

BOOSTER HEATER

IM-100, IM-200, IM-300	53
------------------------------	----

HEINZ, H. J., COMPANY

1062 Progress, Pittsburgh 30, Pa.

H. F. Moffat, Sls. Mgr., Hotel & Restnt. Div.

SOUP KITCHENS

Utility	41
President	41
HOT PLATE LUNCH KITCHEN	41

HELMCO, INC.

7400 W. Lawrence Ave., Chicago 31, Ill.

F. R. Lacy, Jr., V.-P.

HOT CHOCOLATE DISPENSERS

DLCA-6	39
DLCA-12	39
HOT FUDGE DISPENSER DFPW-96	38
SHORT ORDER KITCHEN DLK-2T	41
FOOD WARMER DLD-252	25

HILL-SHAW CO.

311 N. Desplaines St., Chicago 6, Ill.

Jon Zitz, Sls. Mgr.

COFFEE BREWERS

Vaculator VAC50	35
Vaculator VAC100	32
COFFEE RANGE	
Vaculator E22A	36

HOBART MANUFACTURING CO.

Troy, Ohio

J. Don Mason, Adv. Mgr.

DISHWASHERS

SM-5	49
AM-6	49
SLICER 1512	43
TENDERIZER Steakmaster 400	44

HOLLYMATIC CORPORATION

433 W. 83rd St., Chicago, Ill.

E. A. Harwell, Sls. Mgr.

PATTY MOLDER 54	44
-----------------------	----

HOTPOINT COMPANY

227 S. Seeley Ave., Chicago 12, Ill.

Merrill E. Holden, Supervisor of Adv.

BROILERS

HBG19	9
HRG167	9
DUTCH OVEN HF3	12

FOOD WARMERS

HF1	26
HF4	23

FRY KETTLES

HK3	6
Mark 313	7
HKG46	6

GRIDDLES

Rocket Duo-Grid	17
HG2 Rocket 3	19
HG5 Rocket	19
HGB55 Rocket 12-X	19
HGB56 Rocket 16-X	18

HOTPLATE HH1

.....	20
-------	----

OVENS

HNP222	13
HNG225	11
HNG242	11
HNG166	10

QUINETTE

.....	4
-------	---

RANGE-OVEN

HRG13	3
HRG7	4
HRG200	5
HRG14	3

STEAM COOKER HC1

.....	14
-------	----

WAFFLE BAKER HY1

.....	37
-------	----

INDUSTRIAL ENGINEERING & EQUIP. CO.

711 S. Theresa Ave., St. Louis 3, Mo.

Milton Epstein, Gen. Mgr.

BOOSTER HEATERS

50U-102 to 50U-73	54
50U-300 to 50U-302	55
SINK HEATER 1717-10 to 1717-61	55

INSINGER MACHINE COMPANY

6245 State Rd., Philadelphia 35, Pa.

Leonard Cantor, Sls. Mgr.

DISHWASHER Commodore 12	49
-------------------------------	----

J**JACKSON PRODUCTS COMPANY**

3703 E. 93rd St., Cleveland, Ohio

Ben Lynn, Sls. Mgr.

BOOSTER HEATER Hi-Put	52
-----------------------------	----

DISHWASHERS

Dish-O-Mat	50
AC-50	48
10A	48

K**KRAEFT, PAUL F., INC.**

137 Franklin St., Jersey City, N. J.

Frank Connolly, Asst. Sec.

SILVER BURNISHERS

75-C	51
250-A	51

L**LYONS-ALPHA PRODUCTS, INC.**

469 Broome St., New York 13, N. Y.

Nathan Straus, III, V.-P.

COFFEE MAKER 104	33
------------------------	----

LOWERATOR

(See American Machine & Foundry Co.)

M**MARKET FORGE COMPANY**

35 Garvey St., Everett 49, Mass.

J. H. Holman, Sls. Mgr.

PRESSURE COOKERS

ST-E Steam It	16
ST-KE Combination	15
ST-TKE	15

STEAM COOKERS

2M-E	16
2M-KE Combination	14
3ST-ASE	15

MCGRAW ELECTRIC COMPANY

TOASTMASTER PRODUCTS DIV.

Elgin, Illinois

J. R. McDermott, Sls. Mgr.

FOOD WARMERS

3B2	24
3B7	24
3B8, 3C8, 3D8	24

TOASTERS

Powermatic 1D5	29
Powermatic 2-1D5-D	29
Powermatic 4-1D5-D	29
1BB4	29
1D2-B (Buns)	30
1D2	30
3-1D2-S	30
WAFFLE BAKER 2E2	37

MEDALIE MANUFACTURING CO.

213 First Ave., N., Minneapolis, Minn.

M. A. Medalie, Pres.

FOOD WARMER SS-202	25
--------------------------	----

METERFLO DISPENSERS

627 Grove Ave., Evanston, Ill.

Dan Daniels, Gen. Sls. Mgr.

MILK DISPENSER D2-5/10F2	40
--------------------------------	----

MILLER & CARRELL MANUFACTURING CO.

1215-12th St., Denver 4, Colo.

C. Floyd Carrell, Pres.

FRY KETTLES	
Speedster	7
Speedster Comet 320	8
Speedster CL-26F	7
GRIDDLE EG-1836	19
HOT CHOCOLATE DISPENSER HC3-A	39

M.J.M. MANUFACTURING CO.

8479 Steller Dr., Culver City, Calif.

Murry McClung, Jr., Partner

PEELER 15PM	46
-------------------	----

N

NEEDHAM MANUFACTURING CO., INC.

Needham Heights 94, Mass.

Carl F. Spang, Vice-Pres.

TENDERIZER	
Gube Steak Tenderator L	44
PATTY MACHINE 60	44

NORRIS DISPENSERS, INC.

2720 Lyndale Ave., S., Minneapolis, Minn.

Nancy Gale, Adv. Mgr.

MILK DISPENSER N-10	41
---------------------------	----

O

O'BRIEN DICER, INC.

3925 W. Slauson Ave.,

Los Angeles 43, Calif.

Joe O'Brien, Pres.

VEGETABLE CUTTER H-36	45
DICER MOBILE UNIT	45

O'BRIEN FOOD SERVICE PRODUCTS

3925 W. Slauson Ave.,

Los Angeles 43, Calif.

Joe O'Brien, Pres.

FOOD WARMER Economy	27
INFRA-RED EQUIPMENT	
Food Warmer 26	27
Rotisserie 1500	28
Roaster RBS	28

P

PERFECT AUTOMATIC EGG-TIMER

& MFG. CO., INC.

1600-08 Fulton St., Chicago 12, Ill.

F. E. Hummel, Secretary

EGG BOILER	39
------------------	----

PITMAN, J. C., & SONS CO.

Concord, New Hampshire

M. H. Douglas, Sls. Mgr.

FRY KETTLES	
Pitco Frialator EC-56	6
Pitco Frialator EF-55	7

PRINCE CASTLE MFG. DIV., INC.

LaSalle-Wacker Bldg., Chicago 1, Ill.

Ray A. Kroc, President

DRINK MIXER	
Multimixer 9-B-5, 9-B-3	38

Q

QUAKER OATS COMPANY

Merchandise Mart, Chicago, Ill.

Charles J. Senrich, Inst. Sls.

PANCAKE MACHINE PG706B	42
------------------------------	----

QUALHEIM, INC.

1228 Racine St., Racine, Wis.

H. J. Qualheim, President

VEGETABLE CUTTERS	
Electro-Cutter 101	45
Electro-Cutter 400	45

R

RAINIER ELECTRIC OVEN & ENGR. CORP.

1419 Jackson St., Seattle 44, Wash.

Peter Hieb, President

OVENS	
33828	10
42254 Special	12

S

SAVORY EQUIPMENT, INC.

120 Pacific St., Newark 5, N. J.

J. T. Heilig, Sls. Mgr.

TOASTERS

Rotobun	30
CT2	30
CT4	31
CTB2	30
CTB4	31

SECO COMPANY, INC.

5206 S. 38th St., St. Louis 16, Mo.

Justin Canfield, Sls. Mgr.

COFFEE BREWER TU-5ET	34
----------------------------	----

FOOD WARMERS

Scotty Single SS-200DM	25
Scotty Twin SS-220DM	25
Seco-matic DME-5DG	21
Seco-matic DME-3PTS	23

SILEX COMPANY

Hartford 2, Conn.

J. A. Hamilton, Adv. Mgr.

COFFEE RANGES

FE-2	36
FE-3	36
FET-4	36
WATER HEATER IWH	32

STAR MANUFACTURING CO.

6300 St. Louis Ave., St. Louis, Mo.

William Moran, Sls. Mgr.

FOOD WARMERS

121, 122, 123	26
125 Roll Warmer	23
FRY KETTLE 101	5

GRIDDLES

152	18
153	18

GRIDDLE & STEAMER

Counter-Chef 151	19
HOT DOG STEAMER 35	15
TOASTER & GRILL 29	17

STEEL PRODUCTS CO.

P.O. Box 1104, Cedar Rapids, Iowa

Henry R. Ek, Sls. Mgr.

COFFEE MAKERS

E-Z Way 4B	33
E-Z Way 4SDA	34
E-Z Way 500A	34

SWEDEN FREEZER MFG. CO.

3401-17th Ave. W., Seattle 99, Wash.

E. E. Palm, Asst. Sls. Mgr.

SOFT-SERVE DISPENSER 1-231	38
----------------------------------	----

T

THERMOTAIR

(See Franklin Products Corp.)

THURMA DUKE (See Duke Mfg. Co.)

TOASTMASTER

(See McGraw Electric Co.)

TOASTSWELL COMPANY

620 Tower Grove Ave., St. Louis 10, Mo.

Joseph Pavelka, Jr., President

TOASTER ABT-4	31
---------------------	----

TOLEDO SCALE COMPANY

Telegraph Rd., Toledo 1, Ohio

C. H. Cadwallader, Adv. Mgr.

DISHWASHERS

2T-78R	50
DS-27	48
CA-20	49
SLICER 5400	43
PEELER A-1-30	46
WASTE DISPOSER 55B	52

TRELOAR NEW PRODUCTS CO.

Fort Dodge, Iowa

Max Treloar

CUTTER RC2	45
------------------	----

TRIUMPH MANUFACTURING CO.

3400 Spring Grove Ave.,

Cincinnati 25, Ohio

R. F. Foster, Vice-President

FOOD MIXERS

N-20-Bench Model	47
N-20-Floor Model	47

U

UNITED REFRIGERATOR CO.

Hudson, Wis.

Stuart Rabb, Director of Dairy Sls.

MILK DISPENSERS

MB-10-M	40
UMC-106 Deluxe	40
TT-15	40
TT-5	40
FREEZER UF-32	59

UNIVERSAL INDUSTRIES

360 Mystic Ave., Somerville 45, Mass.

Charles Dennis, Sls. Mgr.

FOOD MIXER Univex 1222	47
PEELER Univex G	46
PEELER GP	47

V

VACULATOR (See Hill-Shaw Co.)

VACUUM FILTER MANUFACTURING CO.

53 W. Jackson St., Chicago, Ill.

E. A. Butt, Jr., Pres.

FAT FILTER Re-Nu JRA	9
----------------------------	---

VICTORY METAL MFG. CORP.

Plymouth Meeting, Pa.

C. Jesse Popky, Vice-Pres., Sls.

REFRIGERATORS

Sno-Queen RDW-90-R	
Dough Retarder—Salad	57
Sta-Kold RDA-40-S	
Dough Retarder—Salad	57
Sta-Kold DTA-14-F	
40-S Dual Temp	58
Sta-Kold RA-22-S Reach-in	56
Vimco RDS-65-R	
Dough Retarder—Salad	58
Vimco DTS-11F-11-S Dual Temp	59
Vimco RS-40-S Reach-in	57

FREEZERS

Sno-Queen FW-40-S	60
Sta-Kold FA-60-S	60
Vimco FS-32-S	60

W

WELLS MANUFACTURING CO.

220 Ninth St., San Francisco 3, Calif.

Kenneth G. Wells, Sls. Mgr.

DOUGHNUT KETTLE KS-12	7
-----------------------------	---

FOOD WARMERS

M-82	26
MPD-8½	25
Meat Pan MP	26
Portable Soup Station	24

FRY KETTLES

F-42	5
F-72	6
F-92-S	8
F-92	7

GRIDDLE

HOTPLATE H-62	20
---------------------	----

WAFFLE BAKER L

.....	37
-------	----

WIEGAND, EDWIN L., COMPANY

7500 Thomas Blvd., Pittsburgh 8, Pa.

C. F. Kreiser, Sls. Mgr.

FOOD WARMERS

Chromalox FTL-61	27
Chromalox FW-750	26
Chromalox FW-1050	27

HOTPLATES

Chromalox TTM-A-2401	20
Chromalox STM	20

WATER HEATERS

Chromalox ARTM-1500	54
Chromalox NWH-6241	55
Chromalox TTUH-25	54

NTAIN AND DISPENSING • COFFEE BREWERS • WATER HEATERS AND BOOSTERS

NS • BROILERS • GRIDDLES AND GRILLS • FRY KETTLES • STEAM COOKERS

OFFEE RANGES • KITCHEN AIDS • SANITATION AIDS REFRIGERATION

RANGES • HOTPLATES • WAFFLE BAKERS ROLL WARMERS

TOASTERS • F OFFEE BREWERS

AFFLE BAKERS HOTPLATES

ATER HEATER TOASTERS

KITCHEN AI N • OVENS

FRIGERATION D. BOOSTERS

ENS • BROILERS • GRIDDLES AND GRILLS • FRY KETTLES • STEAM COOKERS

NGES • HOTPLATES • WAFFLE BAKERS • TOASTERS • FOOD AND ROLL WARMERS

CUT COSTS AND
BUILD PROFITS

Electrically

Nothing has ever taken the place of good food as a restaurant business builder. Electric cooking produces food at its best — with all the flavor, wholesomeness and attractiveness it can possibly have.

And electric equipment cuts the costs that really count! Users report savings in food and labor costs by reducing food shrinkage, spoilage and fat consumption. Of course, it also speeds up food preparation and cooking operations. This FACT BOOK is a classified, condensed catalog which lists more than 275 commercial electric appliances. Keep it handy. Refer to it often — for equipment to help increase your profit.

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

OVENS • BROILERS • GRIDDLES AND GRILLS • FRY KETTLES • STEAMERS

SANITATION AIDS • REFRIGERATION • FOOD AND ROLL WARMERS •

RANGES • COFFEE BREWERS • WATER HEATERS AND BOOSTERS

FOUNTAIN

STEAM COOKERS • KITCHEN AIDS

GRIDDLES

FEE RANG

BRO

DISPENS

FOOD

KITCHEN

WAFF

FRY K

TOAST

GRILL

RANGES • HOTPLATES •

WAFFLE BAKERS

GRIDDLES AND GRILLS

STEAM COOKERS

FOUNTAIN AND DISPENSING • COFFEE BREWERS • WATER HEATERS

COFFEE RANGES • KITCHEN AIDS • SANITATION AIDS • TOASTERS

THIRTEENTH EDITION • 1956 • ONE DOLLAR

**COMMERCIAL
ELECTRIC
KITCHEN
EQUIPMENT**

FACT BOOK

*your reference guide to
over 275 modern, labor
and food-saving electric
kitchen devices.*